





VIEW	SHEET
A - LH FUSELAGE SECTION 41	6
C - FUSELAGE SECTION 41 BOTTOM	6
D - LH FUSELAGE SECTION 43	28
G - LH FUSELAGE SECTION 46	36
I - LH FUSELAGE SECTION 48	57
J - FUSELAGE SECTION 48 TOP	64
K - FUSELAGE SECTION 48 BOTTOM	67
L - LH WING TO BODY FAIRING	72
O - LH WING TOP	95
Q - LH WING BOTTOM	105
S - ENGINE 1	137
LH VIEW - LEVELING AND WEIGHING AND ELEVATOR-RUDDER NEUTRAL POSITION	179

 J&C AERO EEU EASA APPROVAL NO: EASA.21J.580	WWW.THISDOAEU INFO@THISDOAEU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 XX = ±0.5 XXX = ±0.05		DRAWN BY: SEE JCAERO/ECN/2177	
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: "1:5"	ALL DIMENSIONS ARE MILLIMETERS	CHECKED BY: SEE JCAERO/ECN/2177	
	NTS		A2	THIRD ANGLE PROJECTION		
TITLE:						
EXTERIOR PLACARDS ILLUSTRATED CATALOGUE						
DRAWING NUMBER:	HST112JCAERO2177				SHEET 4 OF 183	REV. A







(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW A1

LH FWD DOOR



RH SIDE SYMMETRICAL

VIEW B1



DRAWING NUMBER: HST112JCAERO2177																	
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																	
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE								
1	D1121001320800	JC320E506A01	EXIT EPA JC320E506A01	100X50 30	WHITE / FIRE RED	2	11-21-52	ALL									
2	D1121001320600	JC320E506A10		54X90	WHITE / FIRE RED/ GREEN	2	11-21-52	ALL									
3	D1121001320700	JC320E506A11		54X90	WHITE / FIRE RED/ GREEN	2	11-21-52	ALL									
4	D1121001320000	JC320E506A15	TO OPEN 1-PUSH FLAP TO GRASP HANDLE 2-LIFT HANDLE FULLY UP TO HORIZONTAL GREEN LINE EPA JC320E506A15	192X110 25; 10	WHITE / BLACK	2	11-21-52	ALL									
5	D1121001320200	JC320E506A20	PUSH HERE EPA JC320E506A20	80X20 10	WHITE / BLACK	2	11-21-52	ALL									




VIEW A2
LH STBY STATIC PORT
RH SIDE SYMMETRICAL
VIEW B2



(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX


VIEW A3

OXYGEN DISCHARGE




(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW A4
LH STATIC PORT



WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^\circ$	DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177				SHEET 14 OF 183
REV. A				DOC/302 ISSUE 1.0

DRAWING NUMBER: HST112JCAERO2177									
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
22	N/A	JC320S551A01		218X218 Line weight 10	RED	2	34-11-02	ALL	STENCIL TO BE PAINTED IN RAL 3002 ACCORDING TO AIRBUS A320 AMM 11-00-00-370 AND AIPC 11-00-00



J&C AERO

E E U

EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE: NTS

SIZE: A2

ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

SHEET 17 OF 183


REV.
A

© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE
REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/302
ISSUE 1.0


(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW B3
AVIONICS EQPT
VENT (OUTLET)



(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW B4
RH STATIC PORT






1		2		3		4		5		6		7		8	
DRAWING NUMBER: HST112JCAERO2177															
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX															
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE						
11	D1121006420000	JC320E555A05	STATIC PORT DO NOT PLUG OR DEFORM HOLES AREA WITHIN RED LINE MUST BE SMOOTH AND CLEAN	269X79 15; 13	WHITE / FIRE RED	1	11-21-34	ALL							
14	D1121003820600	JC320E560A10	CLOSED	57X20 10	WHITE / BLACK	1	11-21-52	ALL							
15	D1121003820200	JC320E560A20		96X25	WHITE / BLACK	1	11-21-52	ALL							
16	D1121003520400	JC320E500A05	OPEN	42X20 10	WHITE / BLACK	1	11-21-52	ALL							
19	D1121003620200	JC320E555A60	F/O	35X23 13	WHITE / FIRE RED	1	11-21-34	ALL							
20	D1121003620400	JC320E555A55	CAPT	50X23 13	WHITE / FIRE RED	1	11-21-34	ALL							
21	N/A	JC320S555A50		576X576 Line Weight 13	RED	1	11-21-34	ALL	STENCIL TO BE PAINTED IN RAL 3002 ACCORDING TO AIRBUS A320 AMM 11-00-00-370 AND AIPC 11-00-00						
J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 MSN: SEE TABLE 1 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 AIRCRAFT: SEE TABLE 1 REGISTRATION: - SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION DRAWN BY: SEE JCAERO/ECN/2177 CHECKED BY: SEE JCAERO/ECN/2177 SHEET 21 OF 183 REV. A															
© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION															
DOC/302 ISSUE 1.0															

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW B5

RH ANGLE OF ATTACK SENSOR



DRAWING NUMBER: HST112JCAERO2177									
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
22	N/A	JC320S551A01		218X218 Line weight 10	RED	1	34-11-02	ALL	STENCIL TO BE PAINTED IN RAL 3002 ACCORDING TO AIRBUS A320 AMM 11-00-00-370 AND AIPC 11-00-00



J&C AERO

E E U

EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:
EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

TOLERANCES
ANGULAR ≈15°
DECIMALS X = ±1
 X.X = ±0.5
 X.XX = ±0.05

ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

SHEET 23 OF 183

REV.
A




© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE
REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION


DOC/302
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW C1




GROUND ELECTRIC CONNECTION




	1	2	3	4	5	6	7	8																																		
	DRAWING NUMBER: HST112JCAERO2177																																									
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																																									
A	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE	A																															
	14	D1121003820600	JC320E560A10		69X40 10	WHITE / BLACK	1	11-21-52	ALL																																	
	15	D1121003820200	JC320E560A20		96X25	WHITE / BLACK	1	11-21-52	ALL																																	
B	16	D1121003520400	JC320E500A05		69X40 10	WHITE / BLACK	1	11-21-52	ALL		B																															
	25	D1121003920000	JC320E501A01		141X80 10	WHITE / BLACK	1	11-21-24	ALL		C																															
C	26	D1121006723300	JC320E501A10		62X23 13	WHITE / BLACK	1	11-21-52	ALL																																	
	27	D1121005720000	JC320E552A01		57X55	WHITE / BLACK	1	11-21-07	ALL		D																															
D	441	D1121384120000	JC320E504A50		237X68 10	WHITE / RED	1	11-21-52	03275; 04906																																	
E											E																															
	1	2	3	4	5	6	 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 <table><tr><td>WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768</td><td>AIRCRAFT: SEE TABLE 1</td><td>TOLERANCES ANGULAR ±15°</td><td>DECIMALS X ±1 X.X ±0.5 X.XX ±0.05</td><td>DRAWN BY: SEE JCAERO/ECN/2177</td></tr><tr><td>MSN: SEE TABLE 1</td><td>REGISTRATION: -</td><td>SCALE: NTS</td><td>SIZE: A2</td><td>CHECKED BY: SEE JCAERO/ECN/2177</td></tr><tr><td colspan="5">TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE</td></tr><tr><td colspan="4">DRAWING NUMBER: HST112JCAERO2177</td><td>SHEET 25 OF 183</td></tr><tr><td colspan="4"></td><td>REV. A</td></tr></table> © J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION DOC/302 ISSUE 1.0										WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°	DECIMALS X ±1 X.X ±0.5 X.XX ±0.05	DRAWN BY: SEE JCAERO/ECN/2177	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE					DRAWING NUMBER: HST112JCAERO2177				SHEET 25 OF 183					REV. A	
WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°	DECIMALS X ±1 X.X ±0.5 X.XX ±0.05	DRAWN BY: SEE JCAERO/ECN/2177																																						
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177																																						
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE																																										
DRAWING NUMBER: HST112JCAERO2177				SHEET 25 OF 183																																						
				REV. A																																						
	1	2	3	4	5	6																																				

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX


VIEW C2
NLG LEG DOOR




WWW.THISISOEA.EU INFO@THISISOEA.EU PHONE: +353 15 269768		AIRCRAFT: SEE TABLE 1		TOLERANCES ANGULAR = ±5°		DECIMALS X = ±1 XX = ±0.5 XXX = ±0.05		DRAWN BY: SEE JCAERO/ECN/2177		
MSN: SEE TABLE 1		REGISTRATION: -		SCALE: SIZE: NTS A2		ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION		CHECKED BY: SEE JCAERO/ECN/2177		
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE										
DRAWING NUMBER:		HST112JCAERO2177						SHEET 26 OF 183		REV. A

DRAWING NUMBER: HST112JCAERO2177											
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX											
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE		
28	A0001058920000	JC320E502A10	MAX TOW BAR ANGLE	130x130 16	FIRE RED / WHITE	2	11-21-53	ALL			
29	A0001058920000	JC320E502A01		502X50	FIRE RED	2	11-21-53	ALL			
30	D1121003120000	JC320E502A20	DOOR GROUND OPENING TO OPERATE HANDLE -REMOVE SAFETY PIN -PRESS BUTTON AT END OF HANDLE AND OPERATE -RELEASE HANDLE AND INSERT SAFETY PIN -AFTER COMPLETE OPENING INSERT EACH DOOR LOCKING PIN CAUTION WHEN CLOSING BEFORE MOVING HANDLE -REMOVE EACH DOOR LOCKING PIN -CHECK GREEN HYDRAULIC PRESSURE IS ON TO ACHIEVE FULL HANDLE TRAVEL -IF DOORS CANNOT BE CLOSED HANDLE MUST BE RETURNED TO OPEN POSITION EPA JC320E502A20	200X120 8; 4	WHITE / BLACK / FIRE RED	1	11-21-32	ALL			
31	D1121003120200	JC320E502A30	CLOSED  OPEN EPA JC320E502A30	133X80 5	WHITE / BLACK	1	11-21-32	ALL			

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



VIEW D
LH FUSELAGE SECTION 43



VIEW E
RH FUSELAGE SECTION 43




VIEW	SHEET
D1/E1 - LH/RH SECTION 43 BREAK IN POINT	29
E2 - FWD CARGO DOOR	31
E3 - FWD CARGO DOOR SELECTOR (BOTTOM VIEW)	34

 J&C AERO EEU EASA APPROVAL NO: EASA.21.J.580	WWW.THISIDSA.EU INFO@THISIDSA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES: ANGULAR: ±0.5°		DECIMALS: X = ±1 XX = ±0.5 XXX = ±0.05	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE						
DRAWING NUMBER: HST112JCAERO2177		SHEET 28 OF 183			REV. A	
© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION						DOC/302 ISSUE 1.0

VIEW D1
LH SECTION 43
BREAK IN POINT
RH SIDE SYMMETRICAL
VIEW E1




 J&C AERO EEU EASA APPROVAL NO: EASA.21J.580	WWW.THISIDOA.EU INFO@THISIDOA.EU PHONE: +353 15 2697768		AIRCRAFT: SEE TABLE 1		TOLERANCES ANGULAR ±0.5°			DECIMALS X = ±1 XX = ±0.5 XXX = ±0.05		DRAWN BY: SEE JCAERO/ECN/2177	
	MSN: SEE TABLE 1		REGISTRATION: -		SCALE: NTS		SIZE: A2		ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION		
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE										
	DRAWING NUMBER: HST112JCAERO2177									SHEET 29 OF 183	
© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION											DOC/002 ISSUE 1.0

1		2		3		4		5		6		7		8																															
DRAWING NUMBER: HST112JCAERO2177																																													
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																																													
<table><tr><th>ITEM NR.</th><th>OEM PART NUMBER (ONLY FOR REFERENCE)</th><th>EPA PART NUMBER</th><th>LAYOUT</th><th>SIZE (WXH) LETTER HEIGHT</th><th>COLOR (BACKGROUND/FONT)</th><th>QTY PER VIEW</th><th>IPC/DWG REFERENCE</th><th>EFFECTIVITY</th><th>NOTE</th></tr><tr><td>32</td><td>D1121006820100</td><td>JC320E550A01</td><td></td><td>90X90</td><td>FIRE RED</td><td>8</td><td>11-21-53</td><td>ALL</td><td>FOR LOCATION REFER TO SHEET 28</td></tr><tr><td>33</td><td>D1121006820300</td><td>JC320E550A10</td><td> CUT HERE IN EMERGENCY </td><td>485X35 25</td><td>WHITE / FIRE RED</td><td>2</td><td>11-21-53</td><td>ALL</td><td>FOR LOCATION REFER TO SHEET 28</td></tr></table>																ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE	32	D1121006820100	JC320E550A01		90X90	FIRE RED	8	11-21-53	ALL	FOR LOCATION REFER TO SHEET 28	33	D1121006820300	JC320E550A10	CUT HERE IN EMERGENCY	485X35 25	WHITE / FIRE RED	2	11-21-53	ALL	FOR LOCATION REFER TO SHEET 28
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE																																				
32	D1121006820100	JC320E550A01		90X90	FIRE RED	8	11-21-53	ALL	FOR LOCATION REFER TO SHEET 28																																				
33	D1121006820300	JC320E550A10	CUT HERE IN EMERGENCY	485X35 25	WHITE / FIRE RED	2	11-21-53	ALL	FOR LOCATION REFER TO SHEET 28																																				


(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW E2
FWD CARGO DOOR



(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW E3
FWD CARGO DOOR
SELECTOR
(BOTTOM VIEW)



POTABLE WATER DRAIN PANEL

CARGO DOOR SELECTOR

46

45

 J&C AERO EEU EASA APPROVAL NO: EASA.21.J.580	WWW.ITJ.SDOA.EU INFO@ITJ.SDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES: ANGULAR = ±5°		DECIMALS X = ±1 XX = ±0.5 XXX = ±0.05	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE					
	DRAWING NUMBER: HST112JCAERO2177				SHEET 34 OF 183	REV. A
© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION						
						DOC/2023 ISSUE 1.0

1		2		3		4		5		6		7		8	
DRAWING NUMBER: HST112JCAERO2177															
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX															
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE						
45	D1121002220000	JC320E500A30	CARGO DOOR SELECTOR EPA JC320E500A30	154X20 10	WHITE / BLACK	1	11-21-52	ALL							
46	D1121002920000	JC320E504A01	POTABLE WATER DRAIN PANEL EPA JC320E504A01	200X20 10	WHITE / BLACK	1	11-21-38	ALL							




J&C AERO
E E U
EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768		AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^{\circ}$		DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION		CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE						
DRAWING NUMBER: HST112JCAERO2177		SHEET 35 OF 183				REV. A

© J&C AERO EU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE
REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION.


DOC/302
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



VIEW F
RH FUSELAGE SECTION 46


VIEW	SHEET
F1/G1 - RH/LH AFT DOOR	37
F2/G2 - RH/LH SECTION 46 BREAK IN POINT	40
F3/G3 - RH/LH EMERGENCY DOOR	42
F4 - TOILET SERVICE	44
F5 - BULK CARGO DOOR	46
F6 - AFT CARGO DOOR	48
F7 - AFT CARGO DOOR SELECTOR (BOTTOM VIEW)	51
F8/G4 - FUEL DRAIN/VENT	53
G5 - POTABLE WATER SERVICE PANEL	55



VIEW G
LH FUSELAGE SECTION 46



WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
DRAWING NUMBER: HST112JCAERO2177			SHEET 36 OF 183 REV. A




 J&C AERO E.U. EASA APPROVAL NO: EASA.211.580	WWW.THISDOA.EU INFO@THISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^\circ$	DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
	DRAWING NUMBER: HST112JCAERO2177	SHEET 37 OF 183			REV. A

DRAWING NUMBER: HST112JCAERO2177																	
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																	
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE								
1	D1121001320800	JC320E506A01	EXIT EPA JC320E506A01	100X50 30	WHITE / FIRE RED	2	11-21-52	ALL									
2	D1121001320600	JC320E506A10		54X90	WHITE / FIRE RED / GREEN	2	11-21-52	ALL									
3	D1121001320700	JC320E506A11		54X90	WHITE / FIRE RED / GREEN	2	11-21-52	ALL									
4	D1121001320000	JC320E506A15	TO OPEN 1-PUSH FLAP TO GRASP HANDLE 2-LIFT HANDLE FULLY UP TO HORIZONTAL GREEN LINE EPA JC320E506A15	192X110 25; 10	WHITE / BLACK	2	11-21-52	ALL									
5	D1121001320200	JC320E506A20	PUSH HERE EPA JC320E506A20	80X20 10	WHITE / BLACK	2	11-21-52	ALL									


(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW F2
RH SECTION 46
BREAK IN POINT
LH SIDE SYMMETRICAL
VIEW G2



FOR LOCATION REFER TO SHEET 36

 J&C AERO EEU EASA APPROVAL NO: EASA 21J.580	WWW.J&CSAERO.EU INFO@THISISSAERO.EU PHONE: +333 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 ANGULAR = ±5° X.XX = ±0.5 X.XXX = ±0.05		DRAWN BY: SEE JCAERO/ECN/2177	
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE:					
EXTERIOR PLACARDS ILLUSTRATED CATALOGUE						
DRAWING NUMBER:	HST112JCAERO2177			SHEET 40 OF 183	REV. A	
© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION						
					DOC/202 ISSUE 1.0	

DRAWING NUMBER: HST112JCAERO2177									
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
32	D1121006820000	JC320E550A01		90X90	FIRE RED	16	11-21-53	ALL	FOR LOCATION REFER TO SHEET 36
33	D1121006820200	JC320E550A10	CUT HERE IN EMERGENCY	485X35 25	WHITE / FIRE RED	4	11-21-53	ALL	FOR LOCATION REFER TO SHEET 36



J&C AERO
E E U
EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°	DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177				SHEET 41 OF 183
				REV. A


© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/302
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



VIEW F3
RH EMERGENCY DOOR

LH SIDE SYMMETRICAL VIEW G3



(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW F4
TOILET SERVICE



FWD



J&C AERO
EEU

EASA APPROVAL NO
EASA.211580

DRAWN BY:
SEE ICAIRO/ECN/2177

CHECKED BY:
SEE ICAERO/ECN/2177

TITLE:		EXTERIOR PLACARDS ILLUSTRATED CATALOGUE	
--------	--	---	--

SHEET 44 OF 183


REV.
Δ

[illegible]

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW F5

BULK CARGO DOOR



FWD

HYDRAULICALLY OPERATED CARGO COMPARTMENT DOOR

TO OPEN

- 1 - UNLOCK DOOR BY PULLING DOOR HANDLE FULLY OUT FROM "LOCKED" TO "UNLOCKED" POSITION.
- 2 - MOVE MANUAL SELECTION VALVE LEVER TO "OPEN" AND HOLD UNTIL DOOR IS FULLY OPEN AND GREEN INDICATOR LIGHT COMES ON.

TO CLOSE

IMPORTANT: CHECK THAT AREA BELOW DOOR IS FREE FROM OBSTRUCTION.

- 1 - MOVE MANUAL SELECTION VALVE LEVER TO "CLOSE" AND HOLD UNTIL DOOR IS FULLY CLOSED, ENSURING THAT GREEN HANDLE IS FLUSH WITH DOOR.
- 2 - WHEN DOOR IS FULLY CLOSED, MOVE DOOR HANDLE FROM "UNLOCKED" TO "LOCKED" POSITION INTO NECESS TO LOCK DOOR.
- 3 - CHECK THAT VENT FLAP ON DOOR IS FULLY CLOSED AND DOOR HANDLE IS FLUSH WITH DOOR PROFILE.

WARNING

ENSURE THAT YOU ARE POSITIONED LEFT OF THE DOOR FRAME WHILE UNLOCKING THE CARGO DOOR TO AVOID INJURY IN CASE OF SUDDEN DOOR OPENING

Diagram labels and callouts:

- 43: Lower left corner of the door frame.
- 42: Lower left corner of the door frame.
- 41: DOOR HANDLE.
- 40: PUSH button.
- 39: PULL button.
- 38: UNLOCKED position.
- 37: LOCKED position.
- 36: Lower right corner of the door frame.
- 34: VENT FLAP.
- 50: 826 AR (Accessory Rack).

FWD (Forward) arrow pointing right.


VIEW F6

AFT CARGO DOOR

 J&C AERO EEU EASA APPROVAL NO: EASA.21.1580	WWW.THISIDOA.EU INFO@THISIDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.X.X = ±0.05		DRAWN BY: SEE JCAERO/ECN/2177	
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE					
DRAWING NUMBER: HST112JCAERO2177		SHEET 48 OF 183			REV. A	

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW F7
AFT CARGO DOOR
SELECTOR
(BOTTOM VIEW)



FWD


CARGO DOOR SELECTOR

45

1		2		3		4		5		6		7		8	
DRAWING NUMBER: HST112JCAERO2177															
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX															
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE						
45	D1121002220000	JC320E500A30	CARGO DOOR SELECTOR EPA JC320E500A30	154X20 10	WHITE / BLACK	1	11-21-52	ALL							


(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW F8
FUEL DRAIN/VENT
LH SIDE SYMMETRICAL
VIEW G4





DRAWING NUMBER: HST112JCAERO2177																			
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																			
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE										
52	D2827086520000	JC320E556A01	FUEL - DRAIN/VENT EPA JC320E556A01	186X25 15	WHITE / BLACK	2	11-21-28	ALL											
53	D2827086520200	JC320E556A10	APU CTR EPA JC320E556A10	35X45 10	WHITE / BLACK	2	11-21-28	ALL											

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX




VIEW G5
POTABLE WATER SERVICE PANEL




	1	2	3	4	5	6	7	8															
A	DRAWING NUMBER: HST112JCAERO2177																						
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																						
	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE													
	54	D1121002120000	JC320E504A10	POTABLE WATER SERVICE PANEL EPA: JC320E504A10	210X20 10	WHITE / BLACK	1	11-21-38	ALL														
B																							
C																							
D																							
E																							
	1	2	3	4	5	6	J&C AERO E E U EASA APPROVAL NO: EASA.211J.580		www.thisisDOA.eu info@thisisDOA.eu PHONE: +353 15 269768														
										AIRCRAFT: SEE TABLE 1		TOLERANCES ANGULAR ±15°		DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05		DRAWN BY: SEE JCAERO/ECN/2177							
										MSN: SEE TABLE 1		REGISTRATION: -		SCALE: NTS		SIZE: A2		ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION		CHECKED BY: SEE JCAERO/ECN/2177			
										TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE													
										DRAWING NUMBER: HST112JCAERO2177										SHEET 56 OF 183		REV. A	
										© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION										DOC/302 ISSUE 1.0			

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



VIEW H
RH FUSELAGE SECTION 48



VIEW I
LH FUSELAGE SECTION 48

VIEW	SHEET
H1 - FLIGHT RECORDERS	60
I1 - TRIM	62



WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

AIRCRAFT:
SEE TABLE 1

TOLERANCES
ANGULAR $\pm 15^\circ$

DECIMALS X ± 0.1
X.X ± 0.5
X.XX ± 0.05

DRAWN BY:
SEE JCAERO/ECN/2177

MSN:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

CHECKED BY:
SEE JCAERO/ECN/2177

TITLE:
EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

DRAWING NUMBER:
HST112JCAERO2177

SHEET 57 OF 183


REV.
A


DOC/302
ISSUE 1.0

[illegible]

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW H1 FLIGHT RECORDERS



DRAWING NUMBER: HST112JCAERO2177															
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX															
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE						
69	D1121005920400	JC320E554A01		60X60	WHITE / FIRE RED	4	11-21-31	ALL							
70	D1121005920200	JC320E554A10		85X33	WHITE / FIRE RED	1	11-21-31	ALL							
71	D1121005920000	JC320E554A20		352X177 25	WHITE / FIRE RED	1	11-21-31	ALL							



J&C AERO

E E U

EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

SHEET 61 OF 183

REV.
A

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE


© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE
REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION


DOC/302
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW I1

TRIM



DRAWING NUMBER: HST112JCAERO2177									
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
72	ASNA50962140	JC320E800A06		625x152 50	WHITE / FIRE RED	1	D11277121	ALL	BEFORE PLACARD APPLICATION, ENSURE THAT THS IS SET TO 0°
73	ASNA50962140	JC320E800A02		56X14	WHITE / FIRE RED	1	D11277121	ALL	



J&C AERO
EEU
EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:
DRAWING NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

TOLERANCES
ANGULAR ±15°
DECIMALS X = ±1
 X.X = ±0.5
 X.XX = ±0.05

CHECKED BY:
SEE JCAERO/ECN/2177

DRAWN BY:
SEE JCAERO/ECN/2177


© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE
REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/302
ISSUE 1.0






SHEET 63 OF 183

REV.
A

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX




 J&C AERO EEU EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR = ±5°		DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE					
	DRAWING NUMBER: HST112JCAERO2177	SHEET 64 OF 183				REV. A
	© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION					DOC/302 ISSUE 1.0

	1	2	3	4	5	6	7	8																																		
	DRAWING NUMBER: HST112JCAERO2177																																									
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																																									
A	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE	A																															
	74	D1121005820000	JC320E800A11		50X55	GREY / BLACK	10	11-25-27	ALL																																	
	75	D1121008449600	JC320E800A13		62X23 13	GREY / BLACK	1	11-25-55	ALL																																	
B	76	D1121008449700	JC320E800A15		62X23 13	GREY / BLACK	1	11-25-55	ALL		B																															
	77	D1121008449800	JC320E800A17		62X23 13	GREY / BLACK	1	11-25-55	ALL																																	
C	78	D1121008449900	JC320E800A19		62X23 13	GREY / BLACK	1	11-25-55	ALL		C																															
	79	D1121008451400	JC320E800A21		62X23 13	GREY / BLACK	1	11-25-55	ALL																																	
	80	D1121008450000	JC320E800A23		62X23 13	GREY / BLACK	1	11-25-55	ALL		D																															
D	81	D1121008449400	JC320E800A25		62X23 13	GREY / BLACK	1	11-25-55	ALL		D																															
E											E																															
	1	2	3	4	5	6																																				
						<table><tr><td rowspan="5"> J&C AERO E E U EASA APPROVAL NO: EASA.211.580</td><td>WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768</td><td>AIRCRAFT: SEE TABLE 1</td><td colspan="2">TOLERANCES ANGULAR ±15°</td><td>DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05</td><td>DRAWN BY: SEE JCAERO/ECN/2177</td></tr><tr><td>MSN: SEE TABLE 1</td><td>REGISTRATION: -</td><td>SCALE: NTS</td><td>SIZE: A2</td><td>ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION</td><td>CHECKED BY: SEE JCAERO/ECN/2177</td></tr><tr><td colspan="6">TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE</td></tr><tr><td colspan="5">DRAWING NUMBER: HST112JCAERO2177</td><td>SHEET 65 OF 183</td></tr><tr><td colspan="5" rowspan="2"></td><td>REV. A</td></tr></table>					 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°		DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05	DRAWN BY: SEE JCAERO/ECN/2177	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE						DRAWING NUMBER: HST112JCAERO2177					SHEET 65 OF 183						REV. A	
 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°		DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05	DRAWN BY: SEE JCAERO/ECN/2177																																				
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177																																				
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE																																									
	DRAWING NUMBER: HST112JCAERO2177					SHEET 65 OF 183																																				
						REV. A																																				
						© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION					DOC/302 ISSUE 1.0																															


(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW K
FUSELAGE SECTION 48
(BOTTOM)




 J&C AERO E.U. EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±15°	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
	DRAWING NUMBER: HST112JCAERO2177	SHEET 67 OF 183		REV. A

[illegible]

	1	2	3	4	5	6	7	8			
	DRAWING NUMBER: HST112JCAERO2177										
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX										
A	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE	A
	112	D1121008450300	JC320E800A86	335 DB EPA JC320E800A86	62X23 13	GREY / BLACK	1	11-25-55	ALL		
	113	D1121006725300	JC320E800A87	316 AR EPA JC320E800A87	62X23 13	WHITE / BLACK	1	11-21-52	ALL		
B	114	D1121006725200	JC320E800A89	315 AL EPA JC320E800A89	62X23 13	WHITE / BLACK	1	11-21-52	ALL		B
	115	D1121006724200	JC320E554A30	312 AR EPA JC320E554A30	62X23 13	WHITE / BLACK	1	11-21-52	ALL		
C	116	D1121001920000	JC320E554A40	-FLIGHT RECORDERS -THS ACTUATOR -SERVICE INTERPHONE JACK MAINTENANCE SWITCH EPA JC320E554A40	325X60 10	WHITE / BLACK	1	11-21-52	ALL		C
	27	D1121005720000	JC320E552A01	 EPA JC320E552A01	57X55	WHITE / BLACK	1	11-21-07	ALL		
D										D	
E										E	
	1	2	3	4	5	6					
						 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 AIRCRAFT: SEE TABLE 1 TOLERANCES ANGULAR ±15° DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 DRAWN BY: SEE JCAERO/ECN/2177 MSN: SEE TABLE 1 REGISTRATION: - SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION CHECKED BY: SEE JCAERO/ECN/2177 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 SHEET 71 OF 183 REV. A					
						© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION					
	1	2	3	4	5	6					

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX


VIEW L
LH WING TO BODY
FAIRING



 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
	DRAWING NUMBER: HST112JCAERO2177	SHEET 72 OF 183		REV. A

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW M
RH WING TO BODY
FAIRING



WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
DRAWING NUMBER: HST112JCAERO2177			SHEET 75 OF 183
EASA APPROVAL NO: EASA.211.580			REV. A

DRAWING NUMBER:
HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
135	D1121003720000	JC320E562A46	FUEL PANEL EPA JC320E562A46	203X40 10	WHITE / BLACK	1	11-21-28	ALL	
136	D1121006727100	JC320E562A40	192 MB EPA JC320E562A40	62X23 13	WHITE / BLACK	1	11-21-52	ALL	
137	D1121006722000	JC320E562A42	192 EB EPA JC320E562A42	62X23 13	WHITE / BLACK	1	11-21-53	ALL	
138	D1121006722100	JC320E562A44	192 CT EPA JC320E562A44	62X23 13	WHITE / BLACK	1	11-21-53	ALL	
139	D1121006722500	JC320E562A36	198 GB EPA JC320E562A36	62X23 13	WHITE / BLACK	1	11-21-53	ALL	

J&C AERO
E E U
EASA APPROVAL NO:
EASA.21J.S80

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

TOLERANCES
ANGULAR ±±5°
DECIMALS X = ±1
XX = ±0.5
XXX = ±0.05

ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

SHEET 77 OF 183



REV.
A

© J&C AERO EEI LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW N
WING TO BODY
FAIRING (BOTTOM)



VIEW	SHEET
N1 - AIR CONDITIONING	81
N2 - HYD RESERVOIR PRESSURIZATION / LANDING GEAR DOOR	83
N3 - APU FUEL DRAIN	85
N4 - HYD RESERVOIR FILLING / GROUND HYD BLUE CONNECTION	87
N5 - GROUND HYD YELLOW CONNECTION	89
N6 - YELLOW HYD BAY / MAGNETIC FUEL LINE	91
N7 - ELECTRICAL SERVICE PANEL	93



WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

AIRCRAFT:
SEE TABLE 1

TOLERANCES
DECIMALS X = ±1
X.X = ±0.5
X.XX = ±0.05

DRAWN BY:
SEE JCAERO/ECN/2177

MSN:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

CHECKED BY:
SEE JCAERO/ECN/2177

TITLE:
EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

DRAWING NUMBER:
HST112JCAERO2177

SHEET 78 OF 183

REV.
A

1

2

3

4

5

6

7

8

DRAWING
NUMBER:

HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
140	D1121006722900	JC320E562A50	196 BB EPA JC320E562A50	62X23 13	WHITE / BLACK	1	11-21-52	ALL	
141	D1121006722800	JC320E562A52	192 KB EPA JC320E562A52	62X23 13	WHITE / BLACK	1	11-21-53	ALL	
142	D1121006721100	JC320E562A54	191 HB EPA JC320E562A54	62X23 13	WHITE / BLACK	1	11-21-53	ALL	
143	D1121006722700	JC320E562A56	192 FB EPA JC320E562A56	62X23 13	WHITE / BLACK	1	11-21-53	ALL	
144	D1121006720900	JC320E562A58	191 GB EPA JC320E562A58	62X23 13	WHITE / BLACK	1	11-21-53	ALL	
145	D1121006722600	JC320E562A60	191 BB EPA JC320E562A60	62X23 13	WHITE / BLACK	1	11-21-53	ALL	
146	D1121006720700	JC320E562A62	191 CB EPA JC320E562A62	62X23 13	WHITE / BLACK	1	11-21-52	ALL	
147	D1121006720800	JC320E562A64	191 DB EPA JC320E562A64	62X23 13	WHITE / BLACK	1	11-21-52	ALL	

J&C AERO

E E U

EASA APPROVAL NO:
EASA.21J.S80

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:
DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

TOLERANCES
ANGULAR ±15°

DECIMALS X = ±1
XX = ±0.5
X.XX = ±0.05

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

SHEET 79 OF 183

REV.
A

© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE
REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202
ISSUE 1.0

DRAWING NUMBER:

HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
148	D1121006721000	JC320E562A66	191 KB EPA JC320E562A66	62X23 13	WHITE / BLACK	1	11-21-52	ALL	
149	D1121006721200	JC320E562A68	195 BB EPA JC320E562A68	62X23 13	WHITE / BLACK	1	11-21-52	ALL	
150	D1121006721300	JC320E562A70	191 JB EPA JC320E562A70	62X23 13	WHITE / BLACK	1	11-21-53	ALL	
151	D1121006721400	JC320E562A72	734 EPA JC320E562A72	35X23 13	WHITE / BLACK	1	11-21-52	ALL	
152	D1121006723000	JC320E562A74	744 EPA JC320E562A74	36X23 13	WHITE / BLACK	1	11-21-52	ALL	
153	D1121006721500	JC320E562A76	197 AB EPA JC320E562A76	62X23 13	WHITE / BLACK	1	11-21-53	ALL	

J&C AERO

E E U

EASA APPROVAL NO:
EASA.21J.S80

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:

SEE TABLE 1

TITLE:

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

DRAWING
NUMBER:

HST112JCAERO2177

AIRCRAFT:

SEE TABLE 1

REGISTRATION:

-

SCALE:
NTS

SIZE:
A2

TOLERANCES
ANGULAR ±±5°
DECIMALS X = ±1
XX = ±0.5
X.XX = ±0.05
ALL DIMENSIONS ARE MILLIMETERS
THIRD ANGLE PROJECTION

DRAWN BY:

SEE JCAERO/ECN/2177

CHECKED BY:

SEE JCAERO/ECN/2177

© J&C AERO EEI LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202
ISSUE 1.0

1

2

3

4

5



6

7

8


(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW N1
AIR CONDITIONING



DURING INSTALLATION
CUT PLACARD CORNER
AROUND PANEL FRAME

WARNING
MAKE SURE THAT AT LEAST
THE FWD AVIONICS-COMPARTMENT ACCESS DOOR
IS OPEN AND STAYS OPEN
OR ONE OR MORE PASSENGER DOORS
ARE OPEN AND STAY OPEN
OR THAT
OUTFLOW VALVE
IS FULLY OPEN AND STAY OPEN
WHEN AN EXTERNAL AIR SOURCE IS CONNECTED TO
THE AIRCRAFT




for MSN 03275 only.



 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
	DRAWING NUMBER: HST112JCAERO2177	SHEET 81 OF 183		REV. A

DRAWING NUMBER: HST112JCAERO2177																	
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																	
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE								
154	D1121005320000	JC320E700A20	AIR CONDITIONING EPA JC320E700A20	120X20 10	WHITE / BLACK	1	11-21-21	ALL									
155	D1121025220000	JC320E700A30	CAUTION BEFORE SUPPLYING EXTERNAL AIR ENSURE THAT AT LEAST ONE WINDOW OR PASSENGER DOOR IS OPEN AND REMAINS OPEN DURING SERVICING EPA JC320E700A30	364X95 15; 10	WHITE / FIRE RED	1	11-21-21	ALL									
156	D1121005420000	JC320E700A10	CAUTION INLET SWINGS INWARDS EPA JC320E700A10	187X62 20; 12	WHITE / FIRE RED	1	11-21-21	ALL									
458	D1121005220400	JC320E700A01	HP AIR EPA JC320E700A01	55x20 10	WHITE / BLACK	1	11-21-36	ALL									
459	D1127710033000	JC320E700A70	WARNING MAKE SURE THAT AT LEAST THE FWD AVIONICS-COMPARTMENT ACCESS DOOR IS OPEN AND STAYS OPEN OR ONE OR MORE PASSENGER DOORS ARE OPEN AND STAY OPEN OR THAT OUTFLOW VALVE IS FULLY OPEN AND STAY OPEN WHEN AN EXTERNAL AIR SOURCE IS CONNECTED TO THE AIRCRAFT EPA JC320E700A70	435X230 20; 10; 14	WHITE / RED	1	11-21-21	03275									
 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 MSN: SEE TABLE 1 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 AIRCRAFT: SEE TABLE 1 REGISTRATION: - SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION DRAWN BY: SEE JCAERO/ECN/2177 CHECKED BY: SEE JCAERO/ECN/2177 SHEET 82 OF 183 REV. A © J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION DOC/302 ISSUE 1.0																	

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



VIEW N2
RAM AIR TURBINE/
HYD RESERVOIR
PRESSURIZATION/
LANDING GEAR DOOR





WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^\circ$	DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177	SHEET 83 OF 183			REV. A

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW N3




APU FUEL DRAIN



(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX




VIEW N4

HYD RESERVOIR FILLING/ GROUND HYD BLUE CONNECTION






(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW N5
GROUND HYD YELLOW
CONNECTION



(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX




VIEW N6
YELLOW HYD BAY/
MAGNETIC FUEL LINE



WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^\circ$	DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177	SHEET 91 OF 183			REV. A

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX


VIEW N7
ELECTRICAL SERVICE PANEL



Note: Install items 168-170 if needed.

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW O
LH WING TOP




VIEW	SHEET
O1/P1 - LH/RH WING TOP FILLING POINT	99
O2/P2 - LH/RH FLAP	101
O3/P3 - LH/RH SLAT	103








WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
DRAWING NUMBER: HST112JCAERO2177			SHEET 95 OF 183 REV. A

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW P
RH WING TOP




 J&C AERO E.U. EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
	DRAWING NUMBER: HST112JCAERO2177	SHEET 96 OF 183		REV. A

	1	2	3	4	5	6	7	8																																			
A	DRAWING NUMBER: HST112JCAERO2177								A																																		
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																																										
B	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE	B																																
	74	D1121005820000	JC320E800A11		50X55	GREY / BLACK	32	11-23-27	ALL																																		
	173	D1121006726600	JC320E850A06		62X23 13	GREY / BLACK	1	11-23-57	ALL																																		
	174	D1121006726700	JC320E850A11		62X23 13	GREY / BLACK	1	11-23-57	ALL																																		
	175	D1121006726800	JC320E850A16		62X23 13	GREY / BLACK	1	11-23-57	ALL																																		
	176	D1121007920200	JC320E850A31		1053x130 50	GREY / BLACK	4	11-23-57	ALL																																		
	177	D1121006727000	JC320E850A21		62X23 13	GREY / BLACK	1	11-23-57	ALL																																		
C	178	D1121006726900	JC320E850A26		62X23 13	GREY / BLACK	1	11-23-57	ALL		C																																
D											D																																
E											E																																
	1	2	3	4	5	6	<table><tr><td rowspan="5"> J&C AERO E E U EASA APPROVAL NO: EASA.211.580</td><td>www.thisisdoe.eu info@thisisdoe.eu PHONE: +353 15 269768</td><td>AIRCRAFT: SEE TABLE 1</td><td colspan="2">TOLERANCES ANGULAR ±15°</td><td>DECIMALS X ±1 X.X ±0.5 X.XX ±0.05</td><td>DRAWN BY: SEE JCAERO/ECN/2177</td></tr><tr><td>MSN: SEE TABLE 1</td><td>REGISTRATION: -</td><td>SCALE: NTS</td><td>SIZE: A2</td><td>ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION</td><td>CHECKED BY: SEE JCAERO/ECN/2177</td></tr><tr><td colspan="6">TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE</td></tr><tr><td colspan="5">DRAWING NUMBER: HST112JCAERO2177</td><td>SHEET 97 OF 183</td></tr><tr><td colspan="5"></td><td>REV. A</td></tr></table>						 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	www.thisisdoe.eu info@thisisdoe.eu PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°		DECIMALS X ±1 X.X ±0.5 X.XX ±0.05	DRAWN BY: SEE JCAERO/ECN/2177	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE						DRAWING NUMBER: HST112JCAERO2177					SHEET 97 OF 183						REV. A
 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	www.thisisdoe.eu info@thisisdoe.eu PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°		DECIMALS X ±1 X.X ±0.5 X.XX ±0.05	DRAWN BY: SEE JCAERO/ECN/2177																																					
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177																																					
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE																																										
	DRAWING NUMBER: HST112JCAERO2177					SHEET 97 OF 183																																					
						REV. A																																					
	1	2	3	4	5	6	© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION DOC/302 ISSUE 1.0																																				


	1	2	3	4	5	6	7	8		
A	DRAWING NUMBER: HST112JCAERO2177									
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
	179	D1121006726000	JC320E850A41	621 AT EPA JC320E850A41	62X23 13	GREY / BLACK	1	11-23-57	ALL	
	180	D1121006725900	JC320E850A43	621 BT EPA JC320E850A43	62X23 13	GREY / BLACK	1	11-23-57	ALL	
B	181	D1121006725800	JC320E850A45	622 AT EPA JC320E850A45	62X23 13	GREY / BLACK	1	11-23-57	ALL	
C	182	D1121006725700	JC320E850A47	622 BT EPA JC320E850A47	62X23 13	GREY / BLACK	1	11-23-57	ALL	
	183	D1121006725600	JC320E850A49	675 AT EPA JC320E850A49	62X23 13	GREY / BLACK	1	11-23-57	ALL	
D										
E										
	1	2	3	4	5	6				
						 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 AIRCRAFT: SEE TABLE 1 TOLERANCES ANGULAR ±15° DECIMALS X = ±1 XX = ±0.5 XXX = ±0.05 DRAWN BY: SEE JCAERO/ECN/2177 MSN: SEE TABLE 1 REGISTRATION: - SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION CHECKED BY: SEE JCAERO/ECN/2177 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 SHEET 98 OF 183 REV. A © J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION DOC/302 ISSUE 1.0				

VIEW O1
 H WING TOP FILLING POINT
 RH SIDE SYMMETRICAL
VIEW P1



(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW O2
LH FLAP
RH SIDE SYMMETRICAL
VIEW P2




WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\pm 15^\circ$	DECIMALS X ± 1 X.X ± 0.5 X.XX ± 0.05	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177				REV. A
SHEET 101 OF 183				

	1	2	3	4	5	6	7	8																																			
	DRAWING NUMBER: HST112JCAERO2177																																										
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																																										
A	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE	A																																
	188	D1121006520000	JC320E850A58		60X15	BLACK	2	11-23-27	ALL																																		
	189	D1121006520100	JC320E850A60		50X30	BLACK	10	11-23-27	ALL																																		
B	190	D1121006520400	JC320E850A79		40X40 30	GREY / BLACK	2	11-23-27	ALL		B																																
	191	D1121006520200	JC320E850A65		27X40 30	GREY / BLACK	2	11-23-27	ALL																																		
C	192	D1121006520300	JC320E850A67		40X40 30	GREY / BLACK	2	11-23-27	ALL		C																																
	193	D1121006520500	JC320E850A81		47X40 30	GREY / BLACK	2	11-23-27	ALL																																		
D	194	D1121006520600	JC320E850A86		47X40 30	GREY / BLACK	2	11-23-27	02388; 03596		D																																
	456	D1121011120600	JC320E850A91		47X40 30	GREY / BLACK	2	11-23-27	02157; 02210; 03275; 04906																																		
E											E																																
	1	2	3	4	5	6	<table><tr><td rowspan="5"> J&C AERO E E U EASA APPROVAL NO: EASA.211.580</td><td>WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768</td><td>AIRCRAFT: SEE TABLE 1</td><td colspan="2">TOLERANCES ANGULAR ±15°</td><td>DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05</td><td>DRAWN BY: SEE JCAERO/ECN/2177</td></tr><tr><td>MSN: SEE TABLE 1</td><td>REGISTRATION: -</td><td>SCALE: NTS</td><td>SIZE: A2</td><td>ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION</td><td>CHECKED BY: SEE JCAERO/ECN/2177</td></tr><tr><td colspan="6">TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE</td></tr><tr><td colspan="5">DRAWING NUMBER: HST112JCAERO2177</td><td>SHEET 102 OF 183</td></tr><tr><td colspan="5"></td><td>REV. A</td></tr></table>					 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°		DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05	DRAWN BY: SEE JCAERO/ECN/2177	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE						DRAWING NUMBER: HST112JCAERO2177					SHEET 102 OF 183						REV. A	
 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°		DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05	DRAWN BY: SEE JCAERO/ECN/2177																																					
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177																																					
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE																																										
	DRAWING NUMBER: HST112JCAERO2177					SHEET 102 OF 183																																					
						REV. A																																					
	1	2	3	4	5	6	© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION				DOC/302 ISSUE 1.0																																

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW O3
LH SLAT
RH SIDE SYMMETRICAL
VIEW P3









 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
	DRAWING NUMBER: HST112JCAERO2177	SHEET 103 OF 183		REV. A

© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE
REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/302
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



DRAWING NUMBER: HST112JCAERO2177																	
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																	
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE								
198	D1121005720000	JC320E552A02		57X55	GREY / BLACK	1	11-21-07	ALL									
199	D1121008440400	JC320E851A02		62X23 13	GREY / BLACK	1	11-23-57	ALL									
200	D1121008440300	JC320E851A04		62X23 13	GREY / BLACK	1	11-23-57	ALL									
201	D1121008440200	JC320E851A06		62X23 13	GREY / BLACK	1	11-23-57	ALL									
202	D1121008440100	JC320E851A08		62X23 13	GREY / BLACK	1	11-23-57	ALL									
203	D1121008440000	JC320E851A10		62X23 13	GREY / BLACK	1	11-23-57	ALL									
204	D1121008439900	JC320E851A12		62X23 13	GREY / BLACK	1	11-23-57	ALL									
205	D1121008439800	JC320E851A14		62X23 13	GREY / BLACK	1	11-23-57	ALL									
206	D1121008439700	JC320E851A16		62X23 13	GREY / BLACK	1	11-23-57	ALL									
 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 MSN: SEE TABLE 1 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 AIRCRAFT: SEE TABLE 1 REGISTRATION: - SCALE: NTS SIZE: A2 THIRD ANGLE PROJECTION DECIMALS X ±1 X.X ±0.5 X.XX ±0.05 ALL DIMENSIONS ARE MILLIMETERS CHECKED BY: SEE JCAERO/ECN/2177 DRAWN BY: SEE JCAERO/ECN/2177 SHEET 106 OF 183 REV. A © J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION DOC/302 ISSUE 1.0																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18

DRAWING NUMBER:
HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
215	D1121008438800	JC320E851A34	522 SB EPA JC320E851A34	62X23 13	GREY / BLACK	1	11-23-57	ALL	
216	D1121008438700	JC320E851A36	522 UB EPA JC320E851A36	62X23 13	GREY / BLACK	1	11-23-57	ALL	
217	D1121008438600	JC320E851A38	534 AB EPA JC320E851A38	62X23 13	GREY / BLACK	1	11-23-57	ALL	
218	D1121008440900	JC320E851A40	575 MB EPA JC320E851A40	62X23 13	GREY / BLACK	1	11-23-57	ALL	
219	D1121008441000	JC320E851A42	590 BB EPA JC320E851A42	62X23 13	GREY / BLACK	1	11-23-57	ALL	
220	D1121008441100	JC320E851A44	575 LB EPA JC320E851A44	62X23 13	GREY / BLACK	1	11-23-57	ALL	
221	D1121008441300	JC320E851A46	590 AB EPA JC320E851A46	62X23 13	GREY / BLACK	1	11-23-57	ALL	
222	D1121008441200	JC320E851A48	575 KB EPA JC320E851A48	62X23 13	GREY / BLACK	1	11-23-57	ALL	

J&C AERO

E E U

EASA APPROVAL NO:
EASA.21J.S80

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALESIZE:
NTSA2

TOLERANCES
ANGULAR ±±5°
DECIMALS X = ±1
XX = ±0.5
X.XX = ±0.05

ALL DIMENSIONS ARE MILLIMETERS
THIRD ANGLE PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

SHEET 108 OF 183

REV.
A

© J&C AERO EEI LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION







DOC/202
ISSUE 1.0

A	1		2		3		4		5		6		7		8												
	DRAWING NUMBER: HST112JCAERO2177																										
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																											
A	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE																	
	231	D1121008442000	JC320E851A66	575 CB EPA JC320E851A66	62X23 13	GREY / BLACK	1	11-23-57	ALL																		
	232	D1121008442100	JC320E851A68	575 BB EPA JC320E851A68	62X23 13	GREY / BLACK	1	11-23-57	ALL																		
B	233	D1121008442200	JC320E851A70	575 AB EPA JC320E851A70	62X23 13	GREY / BLACK	1	11-23-57	ALL																		
	234	D1121008442300	JC320E851A72	573 CB EPA JC320E851A72	62X23 13	GREY / BLACK	1	11-23-57	ALL																		
	235	D1121008442500	JC320E851A74	573 BB EPA JC320E851A74	62X23 13	GREY / BLACK	1	11-23-57	ALL																		
C	236	D1121008442400	JC320E851A76	574 BB EPA JC320E851A76	62X23 13	GREY / BLACK	1	11-23-57	ALL																		
	237	D1121008442700	JC320E851A78	573 AB EPA JC320E851A78	62X23 13	GREY / BLACK	1	11-23-57	ALL																		
D																											
E																											
 J&C AERO E E U EASA APPROVAL NO: EASA.21J.S80 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 AIRCRAFT: SEE TABLE 1 TOLERANCES ANGULAR ±5° DECIMALS X = ±1 XX = ±0.5 XXX = ±0.05 MSN: SEE TABLE 1 REGISTRATION: - SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION DRAWN BY: SEE JCAERO/ECN/2177 CHECKED BY: SEE JCAERO/ECN/2177 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 REV. A © J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION DOC/202 ISSUE 1.0																											
	1	2	3	4	5	6																					

	1	2	3	4	5	6	7	8		
A	DRAWING NUMBER: HST112JCAERO2177									
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
	238	D1121008442600	JC320E851A80	574 AB EPA JC320E851A80	62X23 13	GREY / BLACK	1	11-23-57	ALL	
B	239	D1121008440700	JC320E851A82	540 AB EPA JC320E851A82	62X23 13	GREY / BLACK	1	11-23-57	ALL	
C										
D										
E										
	1	2	3	4	5	6	 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 AIRCRAFT: SEE TABLE 1 TOLERANCES ANGULAR ≈15° DECIMALS X ≈±1 X.X ≈±0.5 X.XX ≈±0.05 DRAWN BY: SEE JCAERO/ECN/2177 MSN: SEE TABLE 1 REGISTRATION: - SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION CHECKED BY: SEE JCAERO/ECN/2177 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 SHEET 111 OF 183 REV. A			
	1	2	3	4	5	6	© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION			

VIEW Q1

LH WING WATER DRAIN VALVES



	1	2	3	4	5	6	7	8		
A	DRAWING NUMBER: HST112JCAERO2177									
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
	240	D1121004620000	JC320E851A86	WATER DRAIN VALVE EPA JC320E851A86	140X20 10	GREY / BLACK	3	11-23-28	ALL	
B										
C										
D										
E										
	1	2	3	4	5	6				



J&C AERO
E E U

EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

SHEET 113 OF 183

REV.
A

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE



© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE
REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/302
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX


VIEW Q2

LH WING MAGNETIC FUEL LEVEL




(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW Q3
LH WING PYLONS



 J&C AERO E.U. EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^\circ$	DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
	DRAWING NUMBER: HST112JCAERO2177				SHEET 116 OF 183 REV. A

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX








VIEW R
RH WING BOTTOM

VIEW	SHEET
R1 - RH WING WATER DRAIN VALVES	127
R2 - RH WING MAGNETIC FUEL LEVEL	129
R3 - RH WING FLAP SUPPORT FAIRING	131
R4/Q4 - RH/LH WING JET FUEL	135



WWW.THISDOA.EU INFO@THISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
DRAWING NUMBER: HST112JCAERO2177			SHEET 120 OF 183 REV. A

DRAWING NUMBER: HST112JCAERO2177																																																				
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																																																				
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE																																											
198	D1121005720000	JC320E552A02		57x55	GREY / BLACK	1	11-21-07	ALL																																												
269	D1121006728700	JC320E852A03		62X23 13	GREY / BLACK	1	11-23-57	ALL																																												
270	D1121006728800	JC320E852A05		62X23 13	GREY / BLACK	1	11-23-57	ALL																																												
271	D1121006728900	JC320E852A07		62X23 13	GREY / BLACK	1	11-23-57	ALL																																												
272	D1121006729000	JC320E852A09		62X23 13	GREY / BLACK	1	11-23-57	ALL																																												
273	D1121006729100	JC320E852A11		62X23 13	GREY / BLACK	1	11-23-57	ALL																																												
274	D1121006729200	JC320E852A13		62X23 13	GREY / BLACK	1	11-23-57	ALL																																												
275	D1121006729300	JC320E852A15		62X23 13	GREY / BLACK	1	11-23-57	ALL																																												
276	D1121006729400	JC320E852A17		62X23 13	GREY / BLACK	1	11-23-57	ALL																																												
 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 <table><tr><td>WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768</td><td>AIRCRAFT: SEE TABLE 1</td><td colspan="2">TOLERANCES ANGULAR ±15°</td><td>DECIMALS X ±1 X.X ±0.5 X.XX ±0.05</td><td colspan="2">DRAWN BY: SEE JCAERO/ECN/2177</td></tr><tr><td>MSN: SEE TABLE 1</td><td>REGISTRATION: -</td><td>SCALE: NTS</td><td>SIZE: A2</td><td>ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION</td><td colspan="2">CHECKED BY: SEE JCAERO/ECN/2177</td></tr><tr><td colspan="7">TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE</td></tr><tr><td colspan="5">DRAWING NUMBER: HST112JCAERO2177</td><td colspan="2">SHEET 121 OF 183</td></tr><tr><td colspan="5"></td><td>REV. A</td><td></td></tr></table>						WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°		DECIMALS X ±1 X.X ±0.5 X.XX ±0.05	DRAWN BY: SEE JCAERO/ECN/2177		MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177		TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE							DRAWING NUMBER: HST112JCAERO2177					SHEET 121 OF 183							REV. A													
WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°		DECIMALS X ±1 X.X ±0.5 X.XX ±0.05	DRAWN BY: SEE JCAERO/ECN/2177																																															
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177																																															
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE																																																				
DRAWING NUMBER: HST112JCAERO2177					SHEET 121 OF 183																																															
					REV. A																																															
© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION																																																				
DOC/302 ISSUE 1.0																																																				

DRAWING NUMBER:
HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
285	D1121006732300	JC320E852A35	673 AB EPA JC320E852A35	62X23 13	GREY / BLACK	1	11-23-57	ALL	
286	D1121006732000	JC320E852A37	674 BB EPA JC320E852A37	62X23 13	GREY / BLACK	1	11-23-57	ALL	
287	D1121006732100	JC320E852A39	673 BB EPA JC320E852A39	62X23 13	GREY / BLACK	1	11-23-57	ALL	
288	D1121006731900	JC320E852A41	673 CB EPA JC320E852A41	62X23 13	GREY / BLACK	1	11-23-57	ALL	
289	D1121006731800	JC320E852A43	675 AB EPA JC320E852A43	62X23 13	GREY / BLACK	1	11-23-57	ALL	
290	D1121006731700	JC320E852A45	675 BB EPA JC320E852A45	62X23 13	GREY / BLACK	1	11-23-57	ALL	
291	D1121006731600	JC320E852A47	675 CB EPA JC320E852A47	62X23 13	GREY / BLACK	1	11-23-57	ALL	

J&C AERO

E E U

EASA APPROVAL NO:
EASA.21J.S80

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

TOLERANCES
ANGULAR ±±5°

DECIMALS X = ±1
XX = ±0.5
X.XX = ±0.05

ALL DIMENSIONS ARE MILLIMETERS
THIRD ANGLE PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

SHEET 123 OF 183

REV.
A

© J&C AERO EEI LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202
ISSUE 1.0

DRAWING NUMBER:
HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
300	D1121006730900	JC320E852A65	675 KB EPA JC320E852A65	62X23 13	GREY / BLACK	1	11-23-57	ALL	
301	D1121006730800	JC320E852A67	690 AB EPA JC320E852A67	62X23 13	GREY / BLACK	1	11-23-57	ALL	
302	D1121006730700	JC320E852A69	675 LB EPA JC320E852A69	62X23 13	GREY / BLACK	1	11-23-57	ALL	
303	D1121006730600	JC320E852A71	690 BB EPA JC320E852A71	62X23 13	GREY / BLACK	1	11-23-57	ALL	
304	D1121006730500	JC320E852A73	675 MB EPA JC320E852A73	62X23 13	GREY / BLACK	1	11-23-57	ALL	
305	D1121006728200	JC320E852A75	634 AB EPA JC320E852A75	62X23 13	GREY / BLACK	1	11-23-57	ALL	
306	D1121006728300	JC320E852A77	622 UB EPA JC320E852A77	62X23 13	GREY / BLACK	1	11-23-57	ALL	
307	D1121006728400	JC320E852A79	622 SB EPA JC320E852A79	62X23 13	GREY / BLACK	1	11-23-57	ALL	

J&C AERO

E E U

EASA APPROVAL NO:
EASA.21J.S80

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

TOLERANCES
ANGULAR ±15°
DECIMALS X = ±1
XX = ±0.5
XXX = ±0.05
SCALE: NTS
SIZE: A2
ALL DIMENSIONS ARE MILLIMETERS
THIRD ANGLE PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

SHEET 125 OF 183







REV.
A

© J&C AERO EEI LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW R1
RH WING WATER DRAIN VALVES



DRAWING NUMBER: HST112JCAERO2177									
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
240	D1121004620000	JC320E851A86	WATER DRAIN VALVE EPA JC320E851A86	140X20 10	GREY / BLACK	3	11-23-28	ALL	



J&C AERO
E E U

EASA APPROVAL NO:
EASA.211J.580



WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768		AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^\circ$		DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION		CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE						
DRAWING NUMBER: HST112JCAERO2177		SHEET 128 OF 183				REV. A

© J&C AERO EU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE
REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION.

DCC/302
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW R2
RH WING MAGNETIC FUEL LEVEL



WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
DRAWING NUMBER: HST112JCAERO2177			SHEET 129 OF 183 REV. A

DRAWING NUMBER:

HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
246	D1121004220000	JC320E855A16	MAGNETIC FUEL LEVEL	148X20 10	GREY / BLACK	5	11-23-28	ALL	
310	D1121004220300	JC320E856A03	R-1	78X50 40	GREY / BLACK	1	11-23-28	ALL	
311	D1121004220500	JC320E856A05	R-2	87X50 40	GREY / BLACK	1	11-23-28	ALL	
312	D1121004220700	JC320E856A07	R-3	87X50 40	GREY / BLACK	1	11-23-28	ALL	
313	D1121004220900	JC320E856A09	R-4	89X50 40	GREY / BLACK	1	11-23-28	ALL	
314	D1121004221100	JC320E856A11	R-5	88X50 40	GREY / BLACK	1	11-23-28	ALL	

J&C AERO EEU

EASA APPROVAL NO:
EASA.21J.S80

WWW.THISISDOAEU
INFO@THISISDOAEU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SHEET SIZE:
A2

DECIMALS X = ±1
XX = ±0.5
XXX = ±0.05

ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION

CHECKED BY:
SEE JCAERO/ECN/2177

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

DRAWING NUMBER:
HST112JCAERO2177

SHEET 130 OF 183




REV.
A

© J&C AERO EEUI LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202 ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW R3
RH WING FLAP
SUPPORT FAIRING



WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\pm 15^\circ$	DECIMALS X ± 1 X.X ± 0.5 X.XX ± 0.05	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177				SHEET 131 OF 183 REV. A

1		2		3		4		5		6		7		8	
DRAWING NUMBER: HST112JCAERO2177															
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX															
A <															

DRAWING NUMBER:
HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
331	D1121006734100	JC320E861A31	631 AB EPA JC320E861A31	62X23 13	GREY / BLACK	1	11-23-57	ALL	
332	D1121006734200	JC320E861A49	631 BB EPA JC320E861A49	62X23 13	GREY / BLACK	1	11-23-57	ALL	
333	D1121006734500	JC320E861A35	631 AT EPA JC320E861A35	62X23 13	GREY / BLACK	1	11-23-57	ALL	
334	D1121006734600	JC320E861A37	631 DB EPA JC320E861A37	62X23 13	GREY / BLACK	1	11-23-57	ALL	
335	D1121006734400	JC320E861A39	631 CB EPA JC320E861A39	62X23 13	GREY / BLACK	1	11-23-57	ALL	

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:

SEE TABLE 1

AIRCRAFT:

SEE TABLE 1

TOLERANCES

DECIMALS X = ±1
XX = ±0.5
XXX = ±0.05

DRAWN BY:

SEE JCAERO/ECN/2177

MSN:

SEE TABLE 1

REGISTRATION:

-

SCALE:

NTS

SIZE:

A2

ALL DIMENSIONS ARE MILLIMETERS
THIRD ANGLE PROJECTION

CHECKED BY:

SEE JCAERO/ECN/2177

TITLE:

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

DRAWING NUMBER:

HST112JCAERO2177

SHEET

134 OF 183

REV:

A

© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/002
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW R4

RH WING JET FUEL

EFFECTIVE AIRCRAFT





02157; 02388;
03275; 04906;
03596

LH SIDE SYMMETRICAL

VIEW Q4

EFFECTIVE AIRCRAFT

02210




WWW.HSTISDOA.EU INFO@HSTISDOA.EU PHONE: +33 1 2 697768		AIRCRAFT: SEE TABLE 1		TOLERANCES ANGULAR ±5°		DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05		DRAWN BY: SEE JCAERO/ECN/2177	
MSN: SEE TABLE 1		REGISTRATION: -		SCALE: SIZE: NTS A2		ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION		CHECKED BY: SEE JCAERO/ECN/2177	
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE									
DRAWING NUMBER: HST112JCAERO2177				SHEET 135 OF 183				REV. A	

© JAC, AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE WRITTEN REQUEST.

DOC/302
SHEET 1

[illegible]

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



VIEW	SHEET
S1 - ENGINE 1 EXTINGUISHERS (INBOARD)	157
S2 - ENGINE 1 PIVOTING DOORS (INBOARD)	159
S3 - ENGINE 1 FAN COWL DOORS (INBOARD)	161

EFFECTIVE AIRCRAFT
02388; 03596

VIEW S
ENGINE 1 (INBOARD)




J&C AERO
E E U
EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15°	DECIMALS X ±1 X.X ±0.5 X.XX ±0.05	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177				SHEET 137 OF 183
				REV. A

© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/302
ISSUE 1.0

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



VIEW	SHEET
S1 - ENGINE 1 EXTINGUISHERS (INBOARD)	157
S4 - ENGINE 1 THRUST REVERSER (INBOARD)	164
S5 - ENGINE 1 FAN COWL DOORS (INBOARD)	166

EFFECTIVE AIRCRAFT
02157; 02210; 03275;
04906

VIEW S
ENGINE 1 (INBOARD)

1

2

3

4

5

6

7

8

DRAWING
NUMBER:

HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
337	D1121010126500	JC320E912A70	476 CR EPA JC320E912A70	62X23 13	GREY / BLACK	1	11-24-54	ALL	
338	D1121010126300	JC320E912A72	476 BR EPA JC320E912A72	62X23 13	GREY / BLACK	1	11-24-54	ALL	
339	D1121010126200	JC320E912A74	472 BR EPA JC320E912A74	62X23 13	GREY / BLACK	1	11-24-54	ALL	
340	D1121010125900	JC320E912A76	472 AR EPA JC320E912A76	62X23 13	GREY / BLACK	1	11-24-54	ALL	
341	D1121010125700	JC320E912A78	414 FR EPA JC320E912A78	62X23 13	GREY / BLACK	1	11-24-54	ALL	
342	D1121010125600	JC320E912A80	414 CR EPA JC320E912A80	62X23 13	GREY / BLACK	1	11-24-54	ALL	
343	D1121010125500	JC320E912A82	414 BR EPA JC320E912A82	62X23 13	GREY / BLACK	1	11-24-54	ALL	
344	D1121010125400	JC320E912A84	414 AR EPA JC320E912A84	62X23 13	GREY / BLACK	1	11-24-54	ALL	

J&C AERO

E E U

EASA APPROVAL NO:
EASA.21J.S80

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:
DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

TOLERANCES
ANGULAR ±15°
DECIMALS X ±1
XX ±0.5
X.XX ±0.05

ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

SHEET 139 OF 183

REV.
A

© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE
REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202
ISSUE 1.0

DRAWING NUMBER:

HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
345	642-0102-3	JC320E900A10	NO STEP	236X68 54	WHITE / BLACK	2	11-24-71	ALL	ON AIRCRAFTS 02157; 02210; 03275; 04906 QUANTITY - 1
346	642-0102-23	JC320E900A05	NO GRAB	242X70 54	WHITE / BLACK	1	11-24-71	ALL	
347	D1121010126600	JC320E912A59	438 AR	62X23 13	WHITE / BLACK	1	11-24-71	ALL	
348	642-0102-1	JC320E910A20	HOIST POINT	55X16 6	WHITE / BLACK	8	11-24-71	ALL	ON AIRCRAFTS 02157; 02210; 03275; 04906 QUANTITY - 5
349	D1121010126700	JC320E912A61	452 AR	62X23 13	WHITE / BLACK	1	11-24-71	ALL	
350	642-0102-37	JC320E900A96	HINGE ACCESS	63X16 6	WHITE / BLACK	1	11-24-71	02388; 03596	
351	D1121010162500	JC320E912A63	415 AR	62X23 13	WHITE / BLACK	1	11-24-71	ALL	
352	C1121010126000	JC320E912A91	473 AR	62X23 13	GREY / BLACK	1	11-24-71	02388; 03596	

J&C AERO E U

EASA APPROVAL NO:
EASA.21J.SB0

WWW.THISISDOAEU
INFO@THISISDOAEU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

DECIMALS X = ±1
XX = ±0.5
XXX = ±0.05

ALL DIMENSIONS ARE MILLIMETERS
THIRD ANGLE PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177


EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

SHEET 140 OF 183

REV.
A

© J&C AERO EU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202 ISSUE 1.0



EFFECTIVE AIRCRAFT
02388; 03596


VIEW S

ENGINE 1 (OUTBOARD)

VIEW	SHEET
S6 - ENGINE 1 EXTINGUISHERS (OUTBOARD)	157
S7 - ENGINE 1 PIVOTING DOORS (OUTBOARD)	169
S8 - ENGINE 1 FAN COWL DOORS (OUTBOARD)	171

 J&C AERO EEU EASA APPROVAL NO: EASA.21.1580	WWW.THISISDCA.EU INFO@THISISDCA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR: $\alpha = 5^\circ$		DECIMALS: $X = \pm 1$ $XX = \pm 0.5$ $XXX = \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE					
DRAWING NUMBER: HST112JCAERO2177		SHEET 142 OF 183				REV. A

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



EFFECTIVE AIRCRAFT
02157; 02210; 03275;
04906

VIEW S
ENGINE 1 (OUTBOARD)


VIEW	SHEET
S6 - ENGINE 1 EXTINGUISHERS (OUTBOARD)	157
S9 - ENGINE 1 THRUST REVERSER (OUTBOARD)	173
S10 - ENGINE 1 FAN COWL DOORS (OUTBOARD)	175



WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±15°	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
DRAWING NUMBER: HST112JCAERO2177		SHEET 143 OF 183	
		REV. A	

	1	2	3	4	5	6	7	8						
	DRAWING NUMBER: HST112JCAERO2177													
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX													
A	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE	A			
	364	D1121010129200	JC320E912A22	475 BL EPA JC320E912A22	62X23 13	GREY / BLACK	1	11-24-54	ALL					
	365	D1121010129600	JC320E912A36	477 AL EPA JC320E912A36	62X23 13	GREY / BLACK	1	11-24-54	ALL					
B	366	D1121010129500	JC320E912A104	475 CL EPA JC320E912A104	62X23 13	GREY / BLACK	1	11-24-54	ALL		B			
	367	D1121010129300	JC320E912A24	475 AL EPA JC320E912A24	62X23 13	GREY / BLACK	1	11-24-54	ALL					
	368	D1121010129400	JC320E912A106	473 CL EPA JC320E912A106	62X23 13	GREY / BLACK	1	11-24-54	02388; 03596					
C	369	D1121010129100	JC320E912A108	473 BL EPA JC320E912A108	62X23 13	GREY / BLACK	1	11-24-54	02388; 03596		C			
	370	D1121010128800	JC320E912A27	415 BL EPA JC320E912A27	62X23 13	WHITE / BLACK	1	11-24-54	ALL					
	371	D1121010128600	JC320E912A26	473 AL EPA JC320E912A26	62X23 13	GREY / BLACK	1	11-24-54	ALL		D			
D	372	D1121010128500	JC320E912A29	415 AL EPA JC320E912A29	62X23 13	WHITE / BLACK	1	11-24-54	ALL					
E											E			
	1	2	3	4	5	6	 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 MSN: SEE TABLE 1 TITLE: DRAWING NUMBER: HST112JCAERO2177 AIRCRAFT: SEE TABLE 1 REGISTRATION: - SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION DRAWN BY: SEE JCAERO/ECN/2177 CHECKED BY: SEE JCAERO/ECN/2177 SHEET 145 OF 183 REV. A DOC/302 ISSUE 1.0				© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION			
	1	2	3	4	5	6								

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:
DRAWING NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

TOLERANCES
ANGULAR $\approx 15^\circ$

DECIMALS X $\approx \pm 1$
X.X $\approx \pm 0.5$
X.XX $\approx \pm 0.05$

SCALE: NTS
SIZE: A2

DRAWN BY:
SEE JCAERO/ECN/2177


CHECKED BY:
SEE JCAERO/ECN/2177

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

SHEET 147 OF 183

REV. A

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



EFFECTIVE AIRCRAFT
02157; 02210; 03275;
04906

VIEW S
ENGINE 2 (INBOARD)

VIEW	SHEET
T1 - ENGINE 1 EXTINGUISHERS (INBOARD)	157
T4 - ENGINE 1 THRUST REVERSER (INBOARD)	173
T5 - ENGINE 1 FAN COWL DOORS (INBOARD)	175



J&C AERO
E.U.
EASA APPROVAL NO: EASA.211.580

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN: SEE TABLE 1

TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

DRAWING NUMBER: HST112JCAERO2177

AIRCRAFT: SEE TABLE 1

REGISTRATION: -

SCALE: NTS

SIZE: A2

ALL DIMENSIONS ARE MILLIMETERS
THIRD ANGLE PROJECTION

TOLERANCES
DECIMALS X = ±1
X.X = ±0.5
X.XX = ±0.05

ANGULAR = ±5°

DRAWN BY: SEE JCAERO/ECN/2177

CHECKED BY: SEE JCAERO/ECN/2177

REV. A

SHEET 148 OF 183

DRAWING NUMBER:

HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
345	642-0102-3	JC320E900A10	NO STEP	236x68 54	WHITE / BLACK	2	11-24-71	ALL	ON AIRCRAFTS 02157; 02210; 03275; 04906 QUANTITY - 1
346	642-0102-23	JC320E900A05	NO GRAB	242X70 54	WHITE / BLACK	1	11-24-71	ALL	
348	642-0102-1	JC320E910A20	HOIST POINT	55X16 6	WHITE / BLACK	8	11-24-71	ALL	ON AIRCRAFTS 02157; 02210; 03275; 04906 QUANTITY - 5
350	642-0102-37	JC320E910A96	HINGE ACCESS	63X16 6	WHITE / BLACK	1	11-24-71	02388	
444	D1121010120400	JC320E910A107	421 BL	62X23 13	GRAY / BLACK	1	11-24-71	02157; 02210; 03275; 04906	

WWW.THISISDOAEU
INFO@THISISDOAEU
PHONE: +353 15 269768

MSN:

SEE TABLE 1

TITLE:

DRAWING
NUMBER:

HST112JCAERO2177

AIRCRAFT:

SEE TABLE 1

REGISTRATION:

-

TOLERANCES

DECIMALS X = ±1
XX = ±0.5
XXX = ±0.05

SCALE:

SIZE:

NTS

A2

ALL DIMENSIONS ARE MILLIMETERS

THIRD ANGLE PROJECTION

DRAWN BY:

SEE JCAERO/ECN/2177

CHECKED BY:

SEE JCAERO/ECN/2177

J&C AERO

E E U

EASA APPROVAL NO:
EASA.21J.S80


© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202
ISSUE 1.0

SHEET 151 OF 183

REV.
A

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX




VIEW	SHEET
T6 - ENGINE 2 EXTINGUISHERS (OUTBOARD)	157
T7 - ENGINE 2 THRUST REVERSER (OUTBOARD)	159
T8 - ENGINE 2 FAN COWL DOORS (OUTBOARD)	161

EFFECTIVE AIRCRAFT
02388' 03596

VIEW T
ENGINE 2 (OUTBOARD)

 J&C AERO E.U. EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
	DRAWING NUMBER: HST112JCAERO2177	SHEET 152 OF 183		REV. A

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



J&C AERO
E.U.

EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

TOLERANCES

DECIMALS X = ±1
X.X = ±0.5
X.XX = ±0.05

ANGULAR = ±5°

SCALE: SIZE: ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

NTS A2

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

HST112JCAERO2177

SHEET 153 OF 183

REV.
A

DRAWING NUMBER:
HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
393	D1121010124100	JC320E910A78	486 CR EPA JC320E910A78	62X23 13	GREY / BLACK	1	11-24-54	ALL	
394	D1121010124000	JC320E910A80	486 BR EPA JC320E910A80	62X23 13	GREY / BLACK	1	11-24-54	ALL	
395	D1121010123800	JC320E910A82	482 CR EPA JC320E910A82	62X23 13	GREY / BLACK	1	11-24-54	ALL	
396	D1121010123600	JC320E910A84	482 BR EPA JC320E910A84	62X23 13	GREY / BLACK	1	11-24-54	ALL	
397	D1121010123400	JC320E910A86	482 AR EPA JC320E910A86	62X23 13	GREY / BLACK	1	11-24-54	ALL	
398	D1121010123200	JC320E910A88	424 ER EPA JC320E910A88	62X23 13	GREY / BLACK	1	11-24-54	ALL	
399	D1121010123100	JC320E910A90	424 CR EPA JC320E910A90	62X23 13	GREY / BLACK	1	11-24-54	ALL	
400	D1121010123000	JC320E910A92	424 BR EPA JC320E910A92	62X23 13	GREY / BLACK	1	11-24-54	ALL	

J&C AERO
E E U
EASA APPROVAL NO:
EASA.21J.S80

WWW.THISISDOAEU
INFO@THISISDOAEU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE: NTS

SIZE: A2

TOLERANCES
ANGULAR ±±5°
DECIMALS X = ±1
XX = ±0.5
X.XX = ±0.05

ALL DIMENSIONS ARE MILLIMETERS
THIRD ANGLE PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177

CHECKED BY:
SEE JCAERO/ECN/2177

REV.
A

© J&C AERO EEI LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202
ISSUE 1.0

DRAWING NUMBER:
HST112JCAERO2177

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
401	D1121010122900	JC320E910A94	424 AR EPA JC320E910A94	62X23 13	GREY / BLACK	1	11-24-54	ALL	
402	D1121010124300	JC320E910A26	448 AR EPA JC320E910A26	62X23 13	WHITE / BLACK	1	11-24-71	ALL	
403	D1121010124400	JC320E910A28	462 AR EPA JC320E910A28	62X23 13	WHITE / BLACK	1	11-24-71	ALL	
404	D1121010123300	JC320E910A30	425 AR EPA JC320E910A30	62X23 13	WHITE / BLACK	1	11-24-54	ALL	
405	D1121010123500	JC320E910A96	483 AR EPA JC320E910A96	62X23 13	GREY / BLACK	1	11-24-54	02388; 03596	
406	D1121223222100	JC320E910A34	425 BR EPA JC320E910A34	62X23 13	WHITE / BLACK	1	11-24-54	ALL	
407	D1121010125500	JC320E910A100	486 AR EPA JC320E910A100	62X23 13	GREY / BLACK	1	11-24-54	ALL	
408	D1121010124200	JC320E910A102	487 AR EPA JC320E910A102	62X23 13	GREY / BLACK	1	11-24-54	ALL	

J&C AERO
E E U
EASA APPROVAL NO:
EASA.21J.S80

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1
REGISTRATION:
-

TOLERANCES
ANGULAR ±15°
DECIMALS X = ±1
XX = ±0.5
X.XX = ±0.05

SCALE: NTS
SIZE: A2
ALL DIMENSIONS ARE MILLIMETERS
THIRD ANGLE PROJECTION

DRAWN BY:
SEE JCAERO/ECN/2177
CHECKED BY:
SEE JCAERO/ECN/2177

EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

SHEET 155 OF 183
REV.
A

© J&C AERO EEI LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/202
ISSUE 1.0

1		2		3		4		5		6		7		8					
DRAWING NUMBER: HST112JCAERO2177																			
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																			
ITEM NR.		OEM PART NUMBER (ONLY FOR REFERENCE)		EPA PART NUMBER		LAYOUT		SIZE (WXH) LETTER HEIGHT		COLOR (BACKGROUND/FONT)		QTY PER VIEW		IPC/DWG REFERENCE		EFFECTIVITY		NOTE	
345		642-0102-3		JC320E900A10		NO STEP		236X68 54		WHITE / BLACK		1		11-24-71		02388; 03596			
346		642-0102-23		JC320E900A05		NO GRAB		242X70 54		WHITE / BLACK		1		11-24-71		02388; 03596			
348		642-0102-1		JC320E910A20		HOIST POINT		55X16 6		WHITE / BLACK		8		11-24-71		ALL		ON AIRCRAFTS 02157; 02210; 03275; 04906 QUANTITY - 5	
350		642-0102-37		JC320E900A96		HINGE ACCESS		63X16 6		WHITE / BLACK		1		11-24-71		02388; 03596			
440		740-3199-015		JC320E910A42		T.A.I. EXHAUST PANEL		74X28 6,5		WHITE / BLACK		1		71-11-11		02157; 02210; 03275; 04906			
441		740-3199-013		JC320E910A120		INERPHONE JACK		72X16 6		WHITE / BLACK		1		71-11-11		02157; 02210; 03275; 04906			
442		740-3199-009		JC320E910A38		P2 / T2 ACCESS		76X14 6,5		WHITE / BLACK		1		71-11-11		02157; 02210; 03275; 04906			
445		D1121010223200		JC320E910A24		444 AR		62X23 13		WHITE / BLACK		1		11-24-71		02157; 02210; 03275; 04906			
446		D1121010223300		JC320E910A22		444 BR		62X23 13		WHITE / BLACK		1		11-24-71		02157; 02210; 03275; 04906			


(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW S1
ENGINE 1 EXTINGUISHERS
(INBOARD)


ENGINE 1 OUTBOARD SYMMETRICAL
VIEW S6

VIEW T6
ENGINE 2 EXTINGUISHERS
(OUTBOARD)

ENGINE 2 INBOARD SYMMETRICAL
VIEW T1



WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^\circ$	DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177				SHEET 157 OF 183 REV. A

DRAWING NUMBER: HST112JCAERO2177									
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
409	D1121006320000	JC320E900A40	 EPA JC320E900A40	55x40	WHITE / FIRE RED	8	11-24-26	ALL	
410	D1121006320400	JC320E900A45	EXTINGUISHER 1 EPA JC320E900A45	155x25 15	WHITE / FIRE RED	4	11-24-26	ALL	
411	D1121006320200	JC320E900A50	EXTINGUISHER 2 EPA JC320E900A50	155x25 15	WHITE / FIRE RED	4	11-24-26	ALL	



J&C AERO
E E U

EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:
EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

CHECKED BY:
SEE JCAERO/ECN/2177

TOLERANCES
ANGULAR ±15°
DECIMALS X = ±1
 X.X = ±0.5
 X.XX = ±0.05

DRAWN BY:
SEE JCAERO/ECN/2177

© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/302
ISSUE 1.0

REV.
A

SHEET 158 OF 183


(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW S2

ENGINE 1 PIVOTING DOORS (INBOARD)

VIEW T7

ENGINE 2 PIVOTING DOORS (OUTBOARD)



EFFECTIVE AIRCRAFT
02388; 03596

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW S3


ENGINE 1 FAN COWL DOORS

(INBOARD)

VIEW T8

ENGINE 2 FAN COWL DOORS

(OUTBOARD)



EFFECTIVE AIRCRAFT
02388; 03596

J&C AERO E.E.U. EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\pm 15^\circ$	DECIMALS X ± 0.1 X.X ± 0.5 X.XX ± 0.05	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
	DRAWING NUMBER: HST112JCAERO2177	SHEET 161 OF 183			REV. A

© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION


DOC/302
ISSUE 1.0

	1	2	3	4	5	6	7	8			
	DRAWING NUMBER: HST112JCAERO2177										
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX										
A	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE	A
	423	642-0102-59	JC320E900A01	CAUTION MAKE SURE THAT THE FAN COWL DOORS ARE FULLY LATCHED WHEN CLOSED	489X150 25; 20	WHITE / FIRE RED	2	11-24-71	02388; 03596		
B	424	642-0102-53	JC320E900A101	GROUND HERE EPA JC320E900A101	60X16 6	WHITE / BLACK	2	11-24-71	02388; 03596		B
	425	642-0102-5	JC320E900A102	PHONE JACK EPA JC320E900A102	55X16 6	WHITE / BLACK	2	11-24-71	02388; 03596		
C	426	642-0102-7	JC320E900A104	ANTI-ICE DUCT ACCESS EPA JC320E900A104	90X16 6	WHITE / BLACK	2	11-24-71	02388; 03596		C
	427	642-0102-157	JC320E900A106	IDG OIL LEVEL ACCESS EPA JC320E900A106	90X16 6	WHITE / BLACK	2	11-24-71	02388; 03596		
D											D
E											E
	1	2	3	4	5	6					
	 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 AIRCRAFT: SEE TABLE 1 TOLERANCES ANGULAR ±15° DECIMALS X ±1 X.X ±0.5 X.XX ±0.05 DRAWN BY: SEE JCAERO/ECN/2177 MSN: SEE TABLE 1 REGISTRATION: - SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION CHECKED BY: SEE JCAERO/ECN/2177 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 SHEET 163 OF 183 REV. A								© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION		DOC/302 ISSUE 1.0
	1	2	3	4	5	6					

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW S4
ENGINE 1
(INBOARD)

VIEW T9
ENGINE 2
(OUTBOARD)




EFFECTIVE AIRCRAFT
02157; 02210; 03275;
04906

	1	2	3	4	5	6	7	8			
	DRAWING NUMBER: HST112JCAERO2177										
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX										
A	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE	A
	447	740-0394-5	JC320E900A114	HOIST POINT C-DUCT UNDER HINGE ACCESS PANEL EPA JC320E900A114	75X35 8, 5	WHITE / BLACK	2	11-24-71	02157; 02210; 03275; 04906		
B	448	740-0394-23	JC320E900A60	ACTUATOR ACCESS PANEL EPA JC320E900A60	75X25 7	WHITE / BLACK	4	11-24-71	02157; 02210; 03275; 04906		B
	449	740-0394-15	JC320E900A112	CAUTION DISCONNECT HYDRAULIC AND ELECTRICAL SYSTEMS PRIOR TO C-DUCT REMOVAL EPA JC320E900A112	180X26 8, 5	WHITE / BLACK	2	11-24-71	02157; 02210; 03275; 04906		
C	450	740-0394-3	JC320E900A116	HINGE ACCESS PANEL REMOVE PANEL ATTACH SCREWS FOR ACCESS TO C-DUCT HINGE BOLT EPA JC320E900A116	115X39 8, 5	WHITE / BLACK	2	11-24-71	02157; 02210; 03275; 04906		C
	451	740-0394-9	JC320E900A80	CAUTION RED PIN-THRUST REVERSER MANUALLY DEACTIVATED EPA JC320E900A80	109X58 10, 7	WHITE / RED	2	11-24-00	02157; 02210; 03275; 04906		
D	452	740-0394-11	JC320E900A90	PIN STOWAGE EPA JC320E900A90	78X16 7	WHITE / BLACK	2	11-24-71	02157; 02210; 03275; 04906		D
	457	740-0394-1	JC320E900A75	HOIST POINT TRANSLATING SLEEVE ONLY EPA JC320E900A75	110X27 10; 5	WHITE / BLACK	1	11-24-71	02157; 02210; 03275; 04906		
E											E
	1	2	3	4	5	6	 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 MSN: SEE TABLE 1 TITLE: DRAWING NUMBER: HST112JCAERO2177 SHEET 165 OF 183 REV. A AIRCRAFT: SEE TABLE 1 REGISTRATION: - TOLERANCES ANGULAR ≈15° DECIMALS X ≈±1 X.X ≈±0.5 X.XX ≈±0.05 SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION DRAWN BY: SEE JCAERO/ECN/2177 CHECKED BY: SEE JCAERO/ECN/2177 EXTERIOR PLACARDS ILLUSTRATED CATALOGUE © J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION DOC/302 ISSUE 1.0				

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW S5
ENGINE 1 FAN COWL DOORS
(INBOARD)

VIEW T10
ENGINE 2 FAN COWL DOORS
(OUTBOARD)



EFFECTIVE AIRCRAFT
02157; 02210; 03275;
04906



WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^\circ$	DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177				SHEET 166 OF 183
REV. A				DOC/302 ISSUE 1.0


DRAWING NUMBER: HST112JCAERO2177									
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
419	S700M1479-69D	JC320E900A25	WARNING STAND CLEAR OF HAZARD AREAS WHILE ENGINE IS RUNNING	170X156 14	WHITE / FIRE RED, BLACK	2	11-24-71	02157; 02210; 03275; 04906	
420	S700M1479-101D	JC320E900A118	15 FT / 5 m	215X160 5	WHITE / FIRE RED	2	11-24-71	02157; 02210; 03275; 04906	
421	S700M1479-88DR	JC320E900A35		655X45	WHITE / FIRE RED	2	11-24-71	02157; 02210; 03275; 04906	
422	S700M1479-68D	JC320E900A30		139X139	WHITE / FIRE RED / BLACK	2	11-24-71	02157; 02210; 03275; 04906	

[illegible]

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

VIEW S7
ENGINE 1 PIVOTING DOORS
(OUTBOARD)


VIEW T2
ENGINE 2 PIVOTING DOORS
(INBOARD)



416 PIVOTING DOOR LOCK-OUT PIN:
LOCK-OUT POSITION

416 PIVOTING DOOR LOCK-OUT PIN:
LOCK-OUT POSITION

EFFECTIVE AIRCRAFT
02388; 03596




DRAWING NUMBER: HST112JCAERO2177									
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
412	642-0102-47	JC320E914A01	PIVOTING DOOR KEEP AWAY EPA JC320E914A01	67X22 6	WHITE / BLACK	4	11-24-71	02388; 03596	
414	642-0102-39	JC320E914A05	DEPLOY SWITCH ACCESS DOOR EPA JC320E914A05	67X22 6	WHITE / BLACK	2	11-24-71	02388; 03596	
416	642-0102-143	JC320E914A09	PIVOTING DOOR LOCK-OUT PIN: LOCK-OUT POSITION EPA JC320E914A09	120X22 6	WHITE / BLACK	4	11-24-71	02388; 03596	
428	642-0102-43	JC320E914A11	UPPER LEFT PIVOTING DOOR EPA JC320E914A11	67X22 6	WHITE / BLACK	2	11-24-71	02388; 03596	
429	642-0102-43	JC320E914A13	LOWER LEFT PIVOTING DOOR EPA JC320E914A13	67X22 6	WHITE / BLACK	2	11-24-71	02388; 03596	

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX


VIEW S8
1 FAN COWL
(OUTBOARD)

VIEW T3
ENGINE 2 FAN COWL DOORS
(INBOARD)



EFFECTIVE AIRCRAFT
02388; 03596

DRAWING NUMBER: HST112JCAERO2177		1	2	3	4	5	6	7	8
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
419	S700M1479-69D	JC320E900A25	WARNING STAND CLEAR OF HAZARD AREAS WHILE ENGINE IS RUNNING	170X156 14	WHITE / FIRE RED / BLACK	2	11-24-71	02388; 03596	
421	S700M1479-89DR	JC320E900A35		655X45	WHITE / FIRE RED	2	11-24-71	02388; 03596	
422	S700M1479-68D	JC320E900A30		139X139	WHITE / FIRE RED / BLACK	2	11-24-71	02388; 03596	
423	642-0102-59	JC320E900A01	CAUTION MAKE SURE THAT THE FAN COWL DOORS ARE FULLY LATCHED WHEN CLOSED	489X261 25; 20	WHITE / FIRE RED	2	11-24-71	02388; 03596	
430	S700M1479-71D	JC320E900A120		215X160 5	WHITE / FIRE RED / BLACK	2	11-24-71	02388; 03596	
431	R151746-1	JC320E900A92	USE ONLY MOBIL JET OIL II	105X28 10; 6	WHITE / BLACK	2	11-24-79	02388; 03596	ITS FULLY OPERATOR AND INSTALLER RESPONSIBILITY TO CONTROL AND ENSURE PLACARD CONTENT CORRESPONDS TO LATEST AIRCRAFT CONFIGURATION, AIPC AND AMM, REFER TO THE CML FOR AUTHORISED FLUID
J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 MSN: SEE TABLE 1 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 AIRCRAFT: SEE TABLE 1 REGISTRATION: - SCALE: NTS SIZE: A2 DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION DRAWN BY: SEE JCAERO/ECN/2177 CHECKED BY: SEE JCAERO/ECN/2177 TOLERANCES ANGULAR = ±5° EXTERIOR PLACARDS ILLUSTRATED CATALOGUE SHEET 172 OF 183 REV. A © J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION DOC/302 ISSUE 1.0									



DRAWING NUMBER: HST112JCAERO2177																	
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																	
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE								
447	740-0394-5	JC320E900A114	HOIST POINT C-DUCT UNDER HINGE ACCESS PANEL EPA JC320E900A114	75X35 8, 5	WHITE / BLACK	2	11-24-71	02157; 02210; 03275; 04906									
448	740-0394-23	JC320E900A60	ACTUATOR ACCESS PANEL EPA JC320E900A60	75X25 7	WHITE / BLACK	4	11-24-71	02157; 02210; 03275; 04906									
449	740-0394-15	JC320E900A112	CAUTION DISCONNECT HYDRAULIC AND ELECTRICAL SYSTEMS PRIOR TO C-DUCT REMOVAL EPA JC320E900A112	180X26 8, 5	WHITE / BLACK	2	11-24-71	02157; 02210; 03275; 04906									
450	740-0394-3	JC320E900A116	HINGE ACCESS PANEL REMOVE PANEL ATTACH SCREWS FOR ACCESS TO C-DUCT HINGE BOLT EPA JC320E900A116	115X39 8, 5	WHITE / BLACK	2	11-24-71	02157; 02210; 03275; 04906									
451	740-0394-9	JC320E900A80	CAUTION RED PIN-THRUST REVERSER MANUALLY DEACTIVATED EPA JC320E900A80	109X58 10, 7	WHITE / RED	2	11-24-00	02157; 02210; 03275; 04906									
452	740-0394-11	JC320E900A90	PIN STOWAGE EPA JC320E900A90	78X16 7	WHITE / BLACK	2	11-24-71	02157; 02210; 03275; 04906									
457	740-0394-1	JC320E900A75	HOIST POINT TRANSLATING SLEEVE ONLY EPA JC320E900A75	110X27 10; 5	WHITE / BLACK	1	11-24-71	02157; 02210; 03275; 04906									
 J&C AERO E E U EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 AIRCRAFT: SEE TABLE 1 MSN: SEE TABLE 1 REGISTRATION: - TOLERANCES ANGULAR ±15° DECIMALS X ±1 X.X ±0.5 X.XX ±0.05 SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION DRAWN BY: SEE JCAERO/ECN/2177 CHECKED BY: SEE JCAERO/ECN/2177 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 SHEET 174 OF 183 REV. A © J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION DOC/302 ISSUE 1.0																	
1	2	3	4	5	6	© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION						DOC/302 ISSUE 1.0					

	1	2	3	4	5	6	7	8	
DRAWING NUMBER:	HST112JCAERO2177								
A									A
B									B
C									C
D									D
E									E
	1	2	3	4	5	6			


PAGE INTENTIONALLY LEFT BLANK



J&C AERO
E E U
EASA APPROVAL NO:
EASA.211.580


WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^\circ$	DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177				REV. A
SHEET 175 OF 183				

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX



EFFECTIVE AIRCRAFT
02157; 02210; 03275;
04906


 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±5°	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE			
	DRAWING NUMBER: HST112JCAERO2177	SHEET 176 OF 183		REV. A

	1	2	3	4	5	6	7	8																							
	DRAWING NUMBER: HST112JCAERO2177																														
	(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX																														
A	ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE	A																				
	419	S700M1479-69D	JC320E900A25		170X156 14	WHITE / FIRE RED, BLACK	2	11-24-71	02157; 02210; 03275; 04906																						
B	421	S700M1479-88DR	JC320E900A35		655X45	WHITE / FIRE RED	2	11-24-71	02157; 02210; 03275; 04906		B																				
	422	S700M1479-68D	JC320E900A30		139X139	WHITE / FIRE RED / BLACK	2	11-24-71	02157; 02210; 03275; 04906		C																				
C	423	642-0102-59	JC320E900A01		489X261 25; 20	WHITE / FIRE RED	2	11-24-71	02157; 02210; 03275; 04906																						
D	430	S700M1479-100D	JC320E900A120		215X160 5	WHITE / FIRE RED	2	11-24-71	02157; 02210; 03275; 04906		D																				
E											E																				
	1	2	3	4	5	6	<table><tr><td rowspan="5"> J&C AERO E E U EASA APPROVAL NO: EASA.211.580</td><td>WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768</td><td>AIRCRAFT: SEE TABLE 1</td><td>TOLERANCES ANGULAR ±15° DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05</td><td>DRAWN BY: SEE JCAERO/ECN/2177</td></tr><tr><td>MSN: SEE TABLE 1</td><td>REGISTRATION: -</td><td>SCALE: NTS SIZE: A2</td><td>CHECKED BY: SEE JCAERO/ECN/2177</td></tr><tr><td colspan="4">TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE</td></tr><tr><td>DRAWING NUMBER: HST112JCAERO2177</td><td colspan="3">SHEET 177 OF 183</td></tr><tr><td colspan="3"></td><td>REV. A</td></tr></table>	 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15° DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05	DRAWN BY: SEE JCAERO/ECN/2177	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				DRAWING NUMBER: HST112JCAERO2177	SHEET 177 OF 183						REV. A			
 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR ±15° DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05	DRAWN BY: SEE JCAERO/ECN/2177																											
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177																											
	TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE																														
	DRAWING NUMBER: HST112JCAERO2177	SHEET 177 OF 183																													
				REV. A																											
	1	2	3	4	5	6	© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION				DOC/302 ISSUE 1.0																				

[illegible]

(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX

LH VIEW
LEVELING AND WEIGHING AND
ELEVATOR-RUDDER NEUTRAL POSITION
RH SIDE SYMMETRICAL
RH VIEW



Note: Leveling and Weighing placard installation location for reference only, use existing markings for location.

 J&C AERO E E U EASA APPROVAL NO: EASA.211.580	WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES DECIMALS X = ±1 X.X = ±0.5 X.XX = ±0.05 ANGULAR = ±15°	DRAWN BY: SEE JCAERO/ECN/2177
	MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	CHECKED BY: SEE JCAERO/ECN/2177
	ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION			
	REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION			
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				REV. A
DRAWING NUMBER: HST112JCAERO2177				SHEET 179 OF 183

DRAWING NUMBER: HST112JCAERO2177									
(CONT.) 8. INSTALLATION LAYOUT AND LIST OF ITEMS NUMERIC INDEX									
ITEM NR.	OEM PART NUMBER (ONLY FOR REFERENCE)	EPA PART NUMBER	LAYOUT	SIZE (WXH) LETTER HEIGHT	COLOR (BACKGROUND/FONT)	QTY PER VIEW	IPC/DWG REFERENCE	EFFECTIVITY	NOTE
432	NSA9502-00	JC320E300A10	 EPA JC320E300A10	41X41	WHITE / FIRE RED	15	11-21-08	ALL	



J&C AERO
E E U
EASA APPROVAL NO:
EASA.211J.580

WWW.THISISDOA.EU
INFO@THISISDOA.EU
PHONE: +353 15 269768

MSN:
SEE TABLE 1

TITLE:
EXTERIOR PLACARDS ILLUSTRATED CATALOGUE

DRAWING
NUMBER:
HST112JCAERO2177

AIRCRAFT:
SEE TABLE 1

REGISTRATION:
-

SCALE:
NTS

SIZE:
A2

ALL DIMENSIONS
ARE MILLIMETERS
THIRD ANGLE
PROJECTION

CHECKED BY:
SEE JCAERO/ECN/2177

TOLERANCES
ANGULAR ±15°
DECIMALS X = ±1
 X.X = ±0.5
 X.XX = ±0.05

DRAWN BY:
SEE JCAERO/ECN/2177

© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION

DOC/302
ISSUE 1.0

	1	2	3	4	5	6	7	8	
DRAWING NUMBER:	HST112JCAERO2177								
A									A
B									B
C									C
D									D
E									E
	1	2	3	4	5	6			

PAGE INTENTIONALLY LEFT BLANK



J&C AERO
E E U
EASA APPROVAL NO:
EASA.211.580

WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768	AIRCRAFT: SEE TABLE 1	TOLERANCES ANGULAR $\approx 15^\circ$	DECIMALS X $\approx \pm 1$ X.X $\approx \pm 0.5$ X.XX $\approx \pm 0.05$	DRAWN BY: SEE JCAERO/ECN/2177
MSN: SEE TABLE 1	REGISTRATION: -	SCALE: NTS	SIZE: A2	CHECKED BY: SEE JCAERO/ECN/2177
TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE				
DRAWING NUMBER: HST112JCAERO2177				SHEET 181 OF 183 REV. A

	1	2	3	4	5	6	7	8	
A	DRAWING NUMBER: HST112JCAERO2177								
	9. KITS IDENTIFICATION								
	02388 03596	HST112JCAERO2177A	PLACARDS STENCIL KIT This kit contains technical fuselage, wings and pylons placards. Furthermore this kit includes Engine and Wing stencils. This is designed to be applied to AC Effectivity: 02388 and 03596, however it contains extra placards/stencils and not all of them will be used.	PLACARD	E	1-11, 13-20, 23-436, 458		Placards to be printed on solid non-perforated white film.	
				STENCIL	S	12, 21-22		Stencils to be manufactured from stencil material with pre-marking tape.	
	02157 02210	HST112JCAERO2177B	PLACARDS STENCIL KIT This kit contains technical fuselage, wings and pylons placards. Furthermore this kit includes Engine and Wing stencils. This is designed to be applied to AC Effectivity: 02157, 02210, however it contains extra placards/stencils and not all of them will be used.	PLACARD	E	1-11, 13-20, 23-193, 195-349, 351-368, 370-385, 388-404, 406-411, 419-423, 430-440, 442-458		Placards to be printed on solid non-perforated white film.	
B				STENCIL	S	12, 21-22		Stencils to be manufactured from stencil material with pre-marking tape.	B
C	04906	HST112JCAERO2177C	PLACARDS STENCIL KIT This kit contains technical fuselage & wings placards. Furthermore this kit includes Engine and Wing stencils. This is designed to be applied to AC Effectivity: 04906, however it contains extra placards/stencils and not all of them will be used.	PLACARD	E	1-11, 13-20, 23-193, 195-349, 351-368, 370-385, 388-404, 406-411, 419-423, 430-458,460		Placards to be printed on solid non-perforated white film.	
				STENCIL	S	12, 21-22		Stencils to be manufactured from stencil material with pre-marking tape.	C
D	03275	HST112JCAERO2177D	PLACARDS STENCIL KIT This kit contains technical fuselage & wings placards. Furthermore this kit includes Engine and Wing stencils. This is designed to be applied to AC Effectivity: 03275, however it contains extra placards/stencils and not all of them will be used.	PLACARD	E	1-11, 13-20, 23-193, 195-349, 351-368, 370-385, 388-404, 406-411, 419-423, 430-460		Placards to be printed on solid non-perforated white film.	
				STENCIL	S	12, 21-22		Stencils to be manufactured from stencil material with pre-marking tape.	D
E									E
	1	2	3	4	5	6	 J&C AERO EEU EASA APPROVAL NO: EASA.211.580 WWW.THISISDOA.EU INFO@THISISDOA.EU PHONE: +353 15 269768 MSN: SEE TABLE 1 TITLE: EXTERIOR PLACARDS ILLUSTRATED CATALOGUE DRAWING NUMBER: HST112JCAERO2177 AIRCRAFT: SEE TABLE 1 REGISTRATION: - TOLERANCES ANGULAR ±15° DECIMALS X ±1 X.X ±0.5 X.XX ±0.05 SCALE: NTS SIZE: A2 ALL DIMENSIONS ARE MILLIMETERS THIRD ANGLE PROJECTION DRAWN BY: SEE JCAERO/ECN/2177 CHECKED BY: SEE JCAERO/ECN/2177 SHEET 182 OF 183 REV. A		DOC/302 ISSUE 1.0
	1	2	3	4	5	6	© J&C AERO EEU LTD. OWN THE COPYRIGHT OF THIS DRAWING AND IT SHALL NOT BE REPRODUCED BY ANY OTHER WITHOUT THE PRIOR WRITTEN PERMISSION		

DRAWING NUMBER: HST112JCAERO2177																							
10. PLACARDS QUANTITY TABLE																							
ITEM	ITEM P/N	Q-TY PER AC	ITEM	ITEM P/N	Q-TY PER AC	ITEM	ITEM P/N	Q-TY PER AC	ITEM	ITEM P/N	Q-TY PER AC	ITEM	ITEM P/N	Q-TY PER AC	ITEM	ITEM P/N	Q-TY PER AC	ITEM	ITEM P/N	Q-TY PER AC	ITEM	ITEM P/N	Q-TY PER AC
1	JC320E506A01	8	62	JC320E750A35	1	123	JC320E562A13	1	184	JC320E850A51	2	245	JC320E855A14	1	306	JC320E852A77	1	367	JC320E912A24	1	428	JC320E914A11	2
2	JC320E506A10	4	63	JC320E750A40	1	124	JC320E562A15	1	185	JC320E850A53	2	246	JC320E855A16	10	307	JC320E852A79	1	368	JC320E912A106	1	429	JC320E914A13	2
3	JC320E506A11	4	64	JC320E750A45	1	125	JC320E562A17	1	186	JC320E850A55	2	247	JC320E860A02	1	308	JC320E852A81	1	369	JC320E912A108	1	430	JC320E900A120	2
4	JC320E506A15	4	65	JC320E750A50	1	126	JC320E562A19	1	187	JC320E850A57	2	248	JC320E860A04	1	309	JC320E852A83	1	370	JC320E912A27	1	431	JC320E900A92	2
5	JC320E506A20	4	66	JC320E750A55	1	127	JC320E562A21	1	188	JC320E850A58	4	249	JC320E860A06	1	310	JC320E856A03	1	371	JC320E912A26	1	432	JC320E300A10	15
6	JC320E506A25	4	67	JC320E750A60	1	128	JC320E562A80	1	189	JC320E850A60	18	250	JC320E860A08	1	311	JC320E856A05	1	372	JC320E912A29	1	433	RESERVED	-
7	JC320E506A28	4	68	JC320E800A10	10	129	JC320E562A26	1	190	JC320E850A79	2	251	JC320E860A40	1	312	JC320E856A07	1	373	JC320E912A109	1	434	RESERVED	-
8	JC320E506A30	4	69	JC320E554A01	4	130	JC320E562A28	1	191	JC320E850A65	4	252	JC320E860A12	1	313	JC320E856A09	1	374	JC320E912A33	1	435	RESERVED	-
9	JC320E555A01	1	70	JC320E554A10	1	131	JC320E562A30	1	192	JC320E850A67	2	253	JC320E860A14	1	314	JC320E856A11	1	375	JC320E910A105	1	436	JC320E500A01	1
10	JC320E555A10	2	71	JC320E554A20	1	132	JC320E562A32	1	193	JC320E850A81	2	254	JC320E860A16	1	315	JC320E861A03	1	376	JC320E910A47	1	437	JC320E912A114	1
11	JC320E555A05	4	72	JC320E800A06	1	133	JC320E562A34	1	194	JC320E850A86	2	255	JC320E860A18	1	316	JC320E861A05	1	377	JC320E910A49	1	438	JC320E912A57	1
12A	JC320S555A32	1	73	JC320E800A02	1	134	JC320E562A38	1	195	JC320E850A73	2	256	JC320E860A20	1	317	JC320E861A41	1	378	JC320E910A107	1	439	JC320E912A55	1
12B	JC320S555A33	1	74	JC320E800A11	42	135	JC320E562A46	1	196	JC320E850A75	2	257	JC320E860A42	1	318	JC320E861A43	1	379	JC320E910A53	1	440	JC320E910A42	2
13	JC320E560A01	1	75	JC320E800A13	1	136	JC320E562A40	1	197	JC320E850A77	2	258	JC320E860A44	1	319	JC320E861A09	1	380	JC320E910A109	1	441	JC320E910A120	2
14	JC320E560A10	4	76	JC320E800A15	1	137	JC320E562A42	1	198	JC320E552A02	2	259	JC320E860A24	1	320	JC320E861A11	1	381	JC320E910A55	1	442	JC320E910A38	2
15	JC320E560A20	4	77	JC320E800A17	1	138	JC320E562A44	1	199	JC320E851A02	1	260	JC320E860A26	1	321	JC320E861A13	1	382	JC320E910A57	1	443	JC320E912A111	1
16	JC320E500A05	4	78	JC320E800A19	1	139	JC320E562A36	1	200	JC320E851A04	1	261	JC320E860A28	1	322	JC320E861A15	1	383	JC320E910A63	1	444	JC320E910A107	1
17	JC320E555A40	1	79	JC320E800A21	1	140	JC320E562A50	1	201	JC320E851A06	1	262	JC320E860A30	1	323	JC320E861A17	1	384	JC320E910A111	1	445	JC320E910A24	1
18	JC320E555A50	1	80	JC320E800A23	1	141	JC320E562A52	1	202	JC320E851A08	1	263	JC320E860A32	1	324	JC320E861A45	1	385	JC320E910A65	1	446	JC320E910A22	1
19	JC320E555A60	2	81	JC320E800A25	1	142	JC320E562A54	1	203	JC320E851A10	1	264	JC320E860A46	1	325	JC320E861A47	1	386	JC320E910A113	1	447	JC320E900A114	4
20	JC320E555A55	2	82	JC320E800A27	1	143	JC320E562A56	1	204	JC320E851A12	1	265	JC320E860A48	1	326	JC320E861A21	1	387	JC320E910A115	1	448	JC320E900A60	8
21	JC320S555A50	2	83	JC320E800A29	1	144	JC320E562A58	1	205	JC320E851A14	1	266	JC320E860A36	1	327	JC320E861A23	1	388	JC320E910A117	1	449	JC320E900A112	4
22	JC320S551A01	3	84	JC320E800A31	1	145	JC320E562A60	1	206	JC320E851A16	1	267	JC320E860A38	1	328	JC320E861A25	1	389	JC320E910A70	1	450	JC320E900A116	4
23	JC320E555A35	1	85	JC320E800A33	1	146	JC320E562A62	1	207	JC320E851A18	1	268	RESERVED	-	329	JC320E861A27	1	390	JC320E910A72	1	451	JC320E900A80	4
24	JC320E555A45	1	86	JC320E800A35	1	147	JC320E562A64	1	208	JC320E851A20	1	269	JC320E852A03	1	330	JC320E861A29	1	391	JC320E910A74	1	452	JC320E900A90	4
25	JC320E501A01	1	87	JC320E800A36	2	148	JC320E562A66	1	209	JC320E851A22	1	270	JC320E852A05	1	331	JC320E861A31	1	392	JC320E910A76	1	453	JC320E900A85	2
26	JC320E501A10	1	88	JC320E800A40	1	149	JC320E562A68	1	210	JC320E851A24	1	271	JC320E852A07	1	332	JC320E861A49	1	393	JC320E910A78	1	454	JC320E901A01	2
27	JC320E552A01	2	89	JC320E800A42	1	150	JC320E562A70	1	211	JC320E851A26	1	272	JC320E852A09	1	333	JC320E861A35	1	394	JC320E910A80	1	455	RESERVED	-
28	JC320E502A10	2	90	JC320E800A44	1	151	JC320E562A72	1	212	JC320E851A28	1	273	JC320E852A11	1	334	JC320E861A37	1	395	JC320E910A82	1	456	JC320E850A91	2
29	JC320E502A01	2	91	JC320E800A46	1	152	JC320E562A74	1	213	JC320E851A30	1	274	JC320E852A13	1	335	JC320E861A39	1	396	JC320E910A84	1	457	JC320E900A75	4
30	JC320E502A20	1	92	JC320E800A48	1	153	JC320E562A76	1	214	JC320E851A32	1	275	JC320E852A15	1	336	JC320E850A02	2	397	JC320E910A86	1	458	JC320E700A01	1
31	JC320E502A30	1	93	JC320E800A50	1	154	JC320E700A20	1	215	JC320E851A34	1	276	JC320E852A17	1	337	JC320E912A70	1	398	JC320E910A88	1	459	JC320E700A70	1
32	JC320E550A01	24	94	JC320E800A52	1	155	JC320E700A30	1	216	JC320E851A36	1	277	JC320E852A19	1	338	JC320E912A72	1	399	JC320E910A90	1	460	JC320E504A50	1
33	JC320E550A10	6	95	JC320E800A54	1	156	JC320E700A10	2	217	JC320E851A38	1	278	JC320E852A21	1	339	JC320E912A74	1	400	JC320E910A92	1			
34	JC320E500A20	2	96	JC320E800A56	1	157	JC320E560A25	1	218	JC320E851A40</													